

# TEST REPORT

Product Name : DataHub  
Model Number : DataHub1000

Prepared for : SOLAX POWER NETWORK TECHNOLOGY (ZHEJIANG) CO., LTD.

Address : No.288, Shizhu Road, Tonglu Economic Development Zone, Tonglu City, Zhejiang Province 310000, P. R. China

Prepared by : EMTEK (NINGBO) CO., LTD.

Address : 1F Building 4, 1177#, Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, Zhejiang, China.

Tel: +86-574-27907998

Fax: +86-574-27721538

Report Number : ENB2111250113E00501R

Date(s) of Tests : November 25, 2021 to December 03, 2021

Date of issue : December 03, 2021



## TABLE OF CONTENT

| Test Report Description  | Page      |
|--|-----------|
| <b>1. DESCRIPTION OF STANDARDS AND RESULTS (EUT)</b>                             | <b>6</b>  |
| <b>2. GENERAL INFORMATION</b>  | <b>7</b>  |
| 2.1. Description of Device (EUT) .....   | 7         |
| 2.2. Input / Output Ports.....   | 7         |
| 2.3. Independent Operation Modes .....   | 7         |
| 2.4. Test Manner .....   | 8         |
| 2.5. Description of Support Device .....   | 8         |
| 2.6. Description of Test Facility .....  | 9         |
| 2.7. Test Software .....   | 9         |
| 2.8. Measurement Uncertainty.....  | 10        |
| <b>3. MEASURING DEVICE AND TEST EQUIPMENT</b> .....                              | <b>11</b> |
| 3.1. For Power Line Conducted Emission Measurement .....                         | 11        |
| 3.2. For Conducted Emissions at Telecommunications/network port Measurement..... | 11        |
| 3.3. For Radiated Emission Measurement (Up to 1 GHz).....                        | 11        |
| 3.4. For Radiated Emission Measurement (Above 1 GHz) .....                       | 12        |
| 3.5. For Harmonic Current/Flicker Measurement .....                              | 12        |
| 3.6. For Electrostatic Discharge Immunity Test .....                             | 12        |
| 3.7. For RF Strength Susceptibility Test .....                                   | 13        |
| 3.8. For Electrical Fast Transient /Burst Immunity Test .....                    | 13        |
| 3.9. For Surge Immunity Test.....  | 14        |
| 3.10. For Injected Current Susceptibility Test .....                             | 14        |
| 3.11. For Voltage Dips and Interruptions Test.....                               | 14        |
| <b>4. CONDUCTED EMISSIONS FROM THE AC MAINS POWER PORTS</b> .....                | <b>15</b> |
| 4.1. Block Diagram of Test Setup .....   | 15        |
| 4.2. Limits.....   | 15        |
| 4.3. Test Procedure.....   | 15        |
| 4.4. Measuring Results .....   | 16        |
| <b>5. ASYMMETRIC MODE CONDUCTED EMISSIONS AT WIRED NETWORK PORTS</b> .....       | <b>21</b> |
| 5.1. Block Diagram of Test Setup .....   | 21        |
| 5.2. Limits.....   | 21        |
| 5.3. Test Procedure.....   | 21        |
| 5.4. Measuring Results .....   | 22        |
| <b>6. RADIATED EMISSION MEASUREMENT (UP TO 1GHZ)</b> .....                       | <b>25</b> |
| 6.1. Block Diagram of Test Setup .....   | 25        |
| 6.2. Radiated Limit.....   | 25        |
| 6.3. Test Procedure.....   | 25        |
| 6.4. Measuring Results .....   | 26        |
| <b>7. RADIATED EMISSION MEASUREMENT (ABOVE 1GHZ)</b> .....                       | <b>31</b> |
| 7.1. Block Diagram of Test Setup .....   | 31        |
| 7.2. Radiated Limit.....   | 31        |
| 7.3. Test Procedure.....   | 32        |
| 7.4. Measuring Results .....   | 32        |
| <b>8. HARMONIC CURRENT EMISSION MEASUREMENT</b> .....                            | <b>34</b> |
| 8.1. Block Diagram of Test Setup .....   | 34        |
| 8.2. Standard Limits .....   | 34        |
| 8.3. Test Procedure.....   | 35        |
| 8.4. Test Results .....  | 35        |
| <b>9. VOLTAGE FLUCTUATION AND FLICKER MEASUREMENT</b> .....                      | <b>39</b> |
| 9.1. Block Diagram of Test Setup .....   | 39        |

|  |           |
|--|-----------|
| 9.2. Standard Limits .....   | 39        |
| 9.3. Test Procedure.....   | 39        |
| 9.4. Test Results .....  | 39        |
| <b>10. IMMUNITY GENERAL PERFORMANCE CRITERIA DESCRIPTION .....</b>                     | <b>41</b> |
| <b>11. ELECTROSTATIC DISCHARGE .....</b>   | <b>42</b> |
| 11.1. Test Specification .....   | 42        |
| 11.2. Block Diagram of Test Setup .....  | 42        |
| 11.3. Test Procedure.....  | 42        |
| 11.4. Test Results .....   | 43        |
| <b>12. CONTINUOUS RF ELECTROMAGNETIC FIELD DISTURBANCES.....</b>                       | <b>44</b> |
| 12.1. Test Specification .....   | 44        |
| 12.2. Block Diagram of Test Setup .....  | 44        |
| 12.3. Test procedure .....   | 44        |
| 12.4. Test results .....   | 45        |
| <b>13. ELECTRICAL FAST TRANSIENTS/BURST .....</b>                                      | <b>46</b> |
| 13.1. Test Specification .....   | 46        |
| 13.2. Block Diagram of Test Setup .....  | 46        |
| 13.3. Test Procedure.....  | 47        |
| 13.4. Test Results .....   | 47        |
| <b>14. SURGES .....</b>  | <b>48</b> |
| 14.1. Test Specification .....   | 48        |
| 14.2. Block Diagram of Test Setup .....  | 48        |
| 14.3. Test Procedure.....  | 48        |
| 14.4. Test results .....   | 49        |
| <b>15. CONTINUOUS INDUCED RF DISTURBANCES .....</b>                                    | <b>50</b> |
| 15.1. Test Specification .....   | 50        |
| 15.2. Block Diagram of Test Setup .....  | 50        |
| 15.3. Test Procedure.....  | 50        |
| 15.4. Test results .....   | 51        |
| <b>16. POWER FREQUENCY MAGNETIC FIELD.....</b>   | <b>52</b> |
| 16.1. Test Specification .....   | 52        |
| 16.2. Block Diagram of Test Setup .....  | 52        |
| 16.3. Test Procedure.....  | 52        |
| 16.4. Test Results .....   | 52        |
| <b>17. VOLTAGE DIPS AND INTERRUPTIONS .....</b>  | <b>53</b> |
| 17.1. Test Specification .....   | 53        |
| 17.2. Block Diagram of Test Setup .....  | 53        |
| 17.3. Test Procedure.....  | 53        |
| 17.4. Test results .....   | 54        |
| <b>18. PHOTOGRAPHS .....</b>   | <b>55</b> |
| 18.1. Photo of Conducted Emission Measurement .....                                    | 55        |
| 18.2. Photo of Conducted Emissions at Telecommunications/network port Measurement..... | 56        |
| 18.3. Photo of Radiation Emission Measurement (Up to 1GHz) .....                       | 57        |
| 18.4. Photo of Radiation Emission Measurement ( Above 1GHz).....                       | 58        |
| 18.5. Photo of Harmonic and Flicker Measurement .....                                  | 59        |
| 18.6. Photo of Electrostatic Discharge Test .....                                      | 59        |
| 18.7. Photo of RF Field Strength Susceptibility Test.....                              | 60        |
| 18.8. Photo of Electrical Fast Transient /Burst Test.....                              | 60        |
| 18.9. Photo of Surge Test .....  | 61        |
| 18.10. Photo of Injected Currents Susceptibility Test .....                            | 61        |
| 18.11. Photo of Voltage Dips and Interruption Immunity Test .....                      | 62        |

## APPENDIX (Photos of the EUT) (7 Pages)

## TEST REPORT DESCRIPTION

Applicant : SOLAX POWER NETWORK TECHNOLOGY (ZHEJIANG) CO., LTD.  
Manufacturer : SOLAX POWER NETWORK TECHNOLOGY (ZHEJIANG) CO., LTD.  
Trade Mark : SolaX Power  
EUT : DataHub  
Model Number : DataHub1000  
Input Voltage : AC 100-240V, 50/60Hz, 24W

### Measurement Procedure Used:

EN 55032:2015+A11:2020  
EN IEC 61000-3-2:2019  
EN 61000-3-3:2013/A1:2019  
EN 55035:2017+A11:2020  
(IEC 61000-4-2:2008, IEC 61000-4-3:2006+A1:2007+A2:2010, IEC 61000-4-4:2012,  
IEC 61000-4-5:2005, IEC 61000-4-6:2008, IEC 61000-4-8:2009, IEC 61000-4-11:2004)

The device described above is tested by EMTEK (NINGBO) CO., LTD. to determine the maximum emission levels emanating from the device and the severe levels of the device can endure and its performance criterion. The measurement results are contained in this test report and EMTEK (NINGBO) CO., LTD. is assumed full of responsibility for the accuracy and completeness of these measurements. Also, this report shows that the EUT (Equipment Under Test) is technically compliant with the EN 55032, EN IEC 61000-3-2, EN 61000-3-3, EN 55035 requirements.

This report applies to above tested sample only and shall not be reproduced in part without written approval of EMTEK (NINGBO) CO., LTD.

Date of Test : November 25, 2021 to December 03, 2021

*June Gao*

Prepared by : June Gao/Engineer

*Ade Wang*

Reviewer : Ade Wang/Supervisor

*Tony Wei*

Approved & Authorized Signer : Tony Wei/Manager



## Modified Information

| Version | Report No.           | Revision Date | Summary         |
|---------|----------------------|---------------|-----------------|
|         | ENB2111250113E00501R | /             | Original Report |



## 1. DESCRIPTION OF STANDARDS AND RESULTS (EUT)

| EMISSION  |                                   |                           |           |         |
|---|-----------------------------------|---------------------------|-----------|---------|
| Description of Test Item                          |                                   | Standard                  | Limits    | Results |
| Conducted Emissions From the AC Mains Power Ports |                                   | EN 55032:2015+A11:2020    | Class B   | Pass    |
| Asymmetric mode conducted emissions               | Wired network ports               | EN 55032:2015+A11:2020    | Class B   | Pass    |
|   | Optical fibre ports               | EN 55032:2015+A11:2020    | Class B   | N/A     |
|   | Broadcast receiver tuner ports    | EN 55032:2015+A11:2020    | Class B   | N/A     |
|   | Antenna ports                     | EN 55032:2015+A11:2020    | Class B   | N/A     |
| Conducted differential voltage emissions          | TV broadcast receiver tuner ports | EN 55032:2015+A11:2020    | Class B   | N/A     |
|   | RF modulator output ports         | EN 55032:2015+A11:2020    | Class B   | N/A     |
|   | FM broadcast receiver tuner ports | EN 55032:2015+A11:2020    | Class B   | N/A     |
| Radiated emissions at frequencies up to 1 GHz     |                                   | EN 55032:2015+A11:2020    | Class B   | Pass    |
| Radiated emissions at frequencies above 1 GHz     |                                   | EN 55032:2015+A11:2020    | Class B   | Pass    |
| Radiated emissions from FM receivers              |                                   | EN 55032:2015+A11:2020    | Table A.6 | N/A     |
| Outdoor units of home satellite receiving systems |                                   | EN 55032:2015+A11:2020    | Table A.7 | N/A     |
| Harmonic Current Emissions                        |                                   | EN IEC 61000-3-2:2019     | Class A   | Pass    |
| Voltage Fluctuation and Flicker                   |                                   | EN 61000-3-3:2013/A1:2019 | Section 5 | Pass    |

## IMMUNITY(EN 55035:2017+A11:2020)

| Description of Test Item                         |  | Basic Standard                     | Performance Criteria | Results |
|--|--|------------------------------------|----------------------|---------|
| Electrostatic Discharge                          | Enclosure ports  | IEC 61000-4-2:2008                 | B                    | Pass    |
| Continuous RF electromagnetic field disturbances | Enclosure ports  | IEC 61000-4-3:2006+A1:2007+A2:2010 | A                    | Pass    |
| Electrical fast transients/burst                 | AC mains power ports                                   | IEC 61000-4-4:2012                 | B                    | Pass    |
|  | Analogue/digital data ports                            |                                    | B                    | Pass    |
|  | DC network power ports                                 |                                    | B                    | N/A     |
| Surges   | AC mains power ports                                   | IEC 61000-4-5:2005                 | B                    | Pass    |
|  | Analogue/digital data ports for unshielded symmetrical |                                    | C                    | Pass    |
|  | Analogue/digital data ports for coaxial or shielded    |                                    | B                    | N/A     |
|  | DC network power ports                                 |                                    | B                    | N/A     |
| Continuous induced RF disturbances               | AC mains power ports                                   | IEC 61000-4-6:2008                 | A                    | Pass    |
|  | Analogue/digital data ports                            |                                    | A                    | Pass    |
|  | DC network power ports                                 |                                    | A                    | N/A     |
| Power frequency magnetic field                   | Enclosure ports  | IEC 61000-4-8:2009                 | A                    | N/A     |
| Voltage dips and interruptions                   | AC mains power ports                                   | IEC 61000-4-11:2004                | B,C                  | Pass    |
| Broadband impulsive conducted disturbances       | Analogue/digital data ports                            | \                                  | N/A                  | N/A     |
| Note: N/A is an abbreviation for Not Applicable. |  |                                    |                      |         |

## 2. GENERAL INFORMATION

### 2.1. Description of Device (EUT)

EUT : DataHub  
 Model Number : DataHub1000  
 Test Voltage : AC 230V/50Hz, AC 120V/60Hz  
 AC Adapter : M/N: ABT020120A  
 Input: AC 100-240V, 50/60Hz, 1.5A  
 Output: DC 12V, 2A, 24W  
 Highest Frequency : 2480 MHz  
 Sample Number : ENB2111250113E005-1-1  
 Applicant : SOLAX POWER NETWORK TECHNOLOGY (ZHEJIANG) CO., LTD.  
 Address : No.288, Shizhu Road, Tonglu Economic Development Zone, Tonglu City, Zhejiang Province 310000, P. R. China  
 Manufacturer : SOLAX POWER NETWORK TECHNOLOGY (ZHEJIANG) CO., LTD.  
 Address : No.288, Shizhu Road, Tonglu Economic Development Zone, Tonglu City, Zhejiang Province 310000, P. R. China  
 Date of Received : November 25, 2021  
 Date of Test : November 25, 2021 to December 03, 2021

### 2.2. Input / Output Ports

| Port # | Name      | Type* | Cable Max. >3m | Cable Shielded | Comments |
|--------|-----------|-------|----------------|----------------|----------|
| 1      | Enclosure | N/E   | --             | --             | None     |
| 2      | RS485     | A/D   | --             | --             | None     |
| 3      | Net Port  | A/D   | --             | --             | None     |

\*Note: Use abbreviations:

AC= AC Power port

DC= DC Power port

N/E= Non-Electrical

A/D=Analogue/digital data port (signal/control port, antenna port, wired network port, broadcast receiver tuner port, optical fibre port)

### 2.3. Independent Operation Modes

#### A. ON

## 2.4. Test Manner

| Test Items                                       | Test Voltage                 | Operation Modes | Worst case |
|--|------------------------------|-----------------|------------|
| Conducted disturbance at mains Terminals         | AC 230V/50Hz<br>AC 120V/60Hz | Mode A          | Mode A     |
| Asymmetric mode conducted emissions              | AC 230V/50Hz<br>AC 120V/60Hz | Mode A          | Mode A     |
| Radiated emissions at frequencies up to 1 GHz    | AC 230V/50Hz<br>AC 120V/60Hz | Mode A          | Mode A     |
| Radiated emissions at frequencies above 1 GHz    | AC 230V/50Hz<br>AC 120V/60Hz | Mode A          | Mode A     |
| Harmonic Current Emissions                       | AC 230V/50Hz                 | Mode A          | Mode A     |
| Voltage Fluctuation and Flicker                  | AC 230V/50Hz                 | Mode A          | Mode A     |
| Electrostatic Discharge                          | AC 230V/50Hz                 | Mode A          | Mode A     |
| Continuous RF Electromagnetic Field Disturbances | AC 230V/50Hz                 | Mode A          | Mode A     |
| Electrical Fast Transient / Burst                | AC 230V/50Hz                 | Mode A          | Mode A     |
| Surges   | AC 230V/50Hz                 | Mode A          | Mode A     |
| Continuous induced RF disturbances               | AC 230V/50Hz                 | Mode A          | Mode A     |
| Voltage dips and interruptions                   | AC 230V/50Hz<br>AC 230V/60Hz | Mode A          | Mode A     |

## 2.5. Description of Support Device

- Notebook : Manufacturer: LENOVO  
M/N: T430s  
S/N: R9RK4YK
- Notebook : Manufacturer: ASUS  
M/N: FX80G  
S/N: J7NRCX03D694281
- Wireless router : Manufacturer: TP-LINK  
M/N: TL-WR886N  
S/N: 1156004013356

## 2.6. Description of Test Facility

### Site Description

EMC Lab.

#### : Accredited by CNAS

The Certificate Registration Number is L6666.

The Laboratory has been assessed and proved to be in compliance with  
CNAS-CL01:2018 (identical to ISO/IEC 17025:2017)

#### **Accredited by FCC**

Designation Number: CN1302

Test Firm Registration Number: 436491

#### **Accredited by A2LA**

The certificate is valid until May 31, 2023

#### **Accredited by Industry Canada**

The Conformity Assessment Body Identifier is CN0114

Name of Firm

: EMTEK (NINGBO) CO., LTD.

Site Location

: 1F Building 4, 1177#, Lingyun Road, National Hi-Tech Zone, Ningbo, Zhejiang,  
China

## 2.7. Test Software

Item

Software

Conducted Emission

: EZ-EMC (Ver. CON-03A1)

Radiated Emission

: EZ-EMC (Ver. EMEC-3A1)

## 2.8. Measurement Uncertainty

| Test Item                                     | Uncertainty  |
|---|--|
| Conducted Emission Uncertainty                | : 2.08dB (9 k-150 kHz)<br>2.40dB (150 k-30 MHz)  |
| Radiated Emission Uncertainty<br>(3m Chamber) | : 4.06dB (Polarize: H) (30MHz-1000MHz)<br>4.04dB (Polarize: V) (30MHz-1000MHz)<br>4.82dB (Polarize: H) (1~18GHz)<br>4.80dB (Polarize: V) (1~18GHz) |
| Uncertainty for Harmonic test                 | : 4.16% mA   |
| Uncertainty for Flicker test                  | : 0.43% V  |
| Uncertainty for ESD Test                      | : 6.00% kV   |
| Uncertainty for EFT/B Test                    | : 3.84% kV   |
| Uncertainty for Surge Test                    | : 0.53% kV   |
| Uncertainty for C/S Test                      | : 1.45dB (Using CDN Test)<br>2.37dB (Using EM Clamp Test)  |
| Uncertainty for DIPS Test                     | : 2.12% V  |
| Uncertainty for R/S Test                      | : 2.10dB(80 MHz-200 MHz)<br>2.36dB(200 MHz-1000 MHz)<br>2.57dB(1000 MHz-6000 MHz)  |

### 3. MEASURING DEVICE AND TEST EQUIPMENT

#### 3.1. For Power Line Conducted Emission Measurement

| Used                                | Equipment         | Manufacturer      | Model No. | Serial No.       | Last Cal.     | Cal. Interval |
|-------------------------------------|-------------------|-------------------|-----------|------------------|---------------|---------------|
| <input checked="" type="checkbox"/> | Test Receiver     | Rohde & Schwarz   | ESCI      | 101108           | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | L.I.S.N           | Rohde & Schwarz   | ENV216    | 101193           | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | L.I.S.N           | Schwarzbeck       | NSLK 8126 | 8126-462         | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Pulse Limiter     | MTS-systemtechnik | IMP-136   | 2611115-001-0033 | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | RF Switching unit | CD                | RSU-M2    | 38400            | July 08, 2021 | 1 Year        |

#### 3.2. For Conducted Emissions at Telecommunications/network port Measurement

| Item                                | Equipment         | Manufacturer      | Model No.   | Serial No.       | Last Cal.     | Cal. Interval |
|-------------------------------------|-------------------|-------------------|-------------|------------------|---------------|---------------|
| <input checked="" type="checkbox"/> | Test Receiver     | Rohde & Schwarz   | ESCI        | 101108           | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | I.S.N             | Tsetq             | ISNT8       | 51926            | Jan. 11, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | I.S.N             | Tsetq             | ISNT8-Cat 6 | 50583            | Jan. 11, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Pulse Limiter     | MTS-systemtechnik | IMP-136     | 2611115-001-0033 | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | RF Switching unit | CD                | RSU-M2      | 38400            | July 08, 2021 | 1 Year        |

#### 3.3. For Radiated Emission Measurement (Up to 1 GHz)

| Used                                | Equipment         | Manufacturer    | Model No.     | Serial No.        | Last Cal.     | Cal. Interval |
|-------------------------------------|-------------------|-----------------|---------------|-------------------|---------------|---------------|
| <input checked="" type="checkbox"/> | Spectrum Analyzer | Rohde & Schwarz | ESCI          | 101107            | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | EMI Test Receiver | Rohde & Schwarz | ESCI          | 101107            | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Pre-Amplifier     | CD              | PAP-0203      | 22015             | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Bilog Antenna     | Schwarzbeck     | VULB9163      | 9163-467          | July 12, 2020 | 2 Year        |
| <input checked="" type="checkbox"/> | Cable             | Huber + Suhner  | CBL3-NN-0.5 M | 101216-21405 00-2 | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Cable             | Huber + Suhner  | CBL3-NN-3.0 M | 101216-21430 00-2 | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Cable             | Huber + Suhner  | CBL3-NN-9.0 M | 101216-21490 00   | July 08, 2021 | 1 Year        |

### 3.4. For Radiated Emission Measurement (Above 1 GHz)

| Used                                | Equipment          | Manufacturer              | Model No.              | Serial No. | Last Cal.      | Cal. Interval |
|-------------------------------------|--------------------|---------------------------|------------------------|------------|----------------|---------------|
| <input checked="" type="checkbox"/> | Spectrum Analyzer  | Agilent                   | E4407B                 | MY45107013 | April 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Pre-Amplifier      | Connphy Microwave Inc.    | GLN-1G40G-4 165-K      | 0319104    | Nov 22, 2021   | 1 Year        |
| <input checked="" type="checkbox"/> | Horn Antenna       | Schwarzbeck               | BBHA 9120              | 9120D-707  | April 13, 2021 | 2 Year        |
| <input checked="" type="checkbox"/> | Cable              | SMAMSMAM                  | A50-0.5M               | N/A        | July 08, 2021  | 1 Year        |
| <input checked="" type="checkbox"/> | Cable              | SMAMSMAM                  | A50-3M                 | N/A        | July 08, 2021  | 1 Year        |
| <input checked="" type="checkbox"/> | Cable              | SMAMSMAM                  | A50-6M                 | N/A        | July 08, 2021  | 1 Year        |
| <input checked="" type="checkbox"/> | Band Reject Filter | O.M.Jones,Inc.db a        | BRM50702-0             | G049       | July 08, 2021  | 1 Year        |
| <input type="checkbox"/>            | Band Reject Filter | COM-MW Technology co.,Ltd | ZBSF3-C431.4-436.4-751 | 07204734   | July 08, 2021  | 1 Year        |

### 3.5. For Harmonic Current/Flicker Measurement

| Used                                | Equipment                 | Manufacturer           | Model No.           | Serial No. | Last Cal.     | Cal. Interval |
|-------------------------------------|---------------------------|------------------------|---------------------|------------|---------------|---------------|
| <input checked="" type="checkbox"/> | AC Power source           | California Instruments | 5001iX-CTS-4 00-413 | 59739      | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Harmonic/flicker analyzer | California Instruments | PACS-1              | 72795      | July 08, 2021 | 1 Year        |

### 3.6. For Electrostatic Discharge Immunity Test

| Used                                | Equipment  | Manufacturer | Model No. | Serial No. | Last Cal.     | Cal. Interval |
|-------------------------------------|------------|--------------|-----------|------------|---------------|---------------|
| <input checked="" type="checkbox"/> | ESD Tester | TESEQ        | NSG 437   | 1732       | Dec. 01, 2021 | 1 Year        |

### 3.7. For RF Strength Susceptibility Test

| Used                                | Equipment                       | Manufacturer    | Model No.     | Serial No.     | Last Cal.    | Cal. Interval |
|-------------------------------------|---------------------------------|-----------------|---------------|----------------|--------------|---------------|
| <input checked="" type="checkbox"/> | Power Amplifier                 | MILMEGA         | AS0102-55     | 1018770        | May 15, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | 50ohm Diode Power Sensor        | BOONTON         | 51011EMC      | 34236          | May 16, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | RF Power Meter. Dual Channel    | BOONTON         | 4232A         | 10539          | May 15, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Log.-Per. Antenna               | SCHWARZBECK     | VULP 9118E    | 811            | N/A          | N/A           |
| <input checked="" type="checkbox"/> | Signal Generator                | Agilent         | N5181A        | MY50145187     | May 15, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | 50ohm Diode Power Sensor        | BOONTON         | 51011EMC      | 36164          | May 15, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Broad-Band Horn Antenna         | SCHWARZBECK     | STLP 9149     | 9149-227       | N/A          | N/A           |
| <input checked="" type="checkbox"/> | Field Strength Meter            | DARE            | RSS1006A      | 10I00037SNO 22 | May 16, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Multi-function interface system | DARE            | CTR1009B      | 12I00250SNO 72 | N/A          | N/A           |
| <input checked="" type="checkbox"/> | Automatic switch group          | DARE            | RSW1004A      | N/A            | N/A          | N/A           |
| <input checked="" type="checkbox"/> | Power Amplifier                 | MILMEGA         | AS1860-50     | 1059346        | May 15, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Power Amplifier                 | MILMEGA         | 80RF1000-17 5 | 1059345        | May 17, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Directional Coupler             | MILMEGA         | DC6180AM1     | 0340463        | May 15, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Audio Analyzer                  | R&S             | UPV           | 101473         | May 15, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Audio Test System               | AUDIO PRECISION | ATS-1         | 41100          | May 15, 2021 | 1 Year        |

### 3.8. For Electrical Fast Transient /Burst Immunity Test

| Used                                | Equipment      | Manufacturer | Model No. | Serial No. | Last Cal.     | Cal. Interval |
|-------------------------------------|----------------|--------------|-----------|------------|---------------|---------------|
| <input checked="" type="checkbox"/> | Burst Tester   | HAEFELY      | PEFT4010  | 173964     | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Coupling Clamp | HAEFELY      | IP-4A     | 147399     | July 08, 2021 | 1 Year        |

### 3.9. For Surge Immunity Test

| Used                                | Equipment                               | Manufacturer | Model No.      | Serial No. | Last Cal.    | Cal. Interval |
|-------------------------------------|---|--------------|----------------|------------|--------------|---------------|
| <input checked="" type="checkbox"/> | Combination Wave Generator              | HTEC         | HCWG 100       | 204303     | Dec 21, 2020 | 1 Year        |
| <input checked="" type="checkbox"/> | Three Phase Coupling/Decoupling Network | HTEC         | HCOUPLER 30S   | 211401     | Dec 21, 2020 | 1 Year        |
| <input checked="" type="checkbox"/> | High Pressure Option                    | HTEC         | Options-10KD C | /          | Dec 21, 2020 | 1 Year        |
| <input checked="" type="checkbox"/> | 40 ohm Impedance                        | HTEC         | Options-40oh m | /          | Dec 21, 2020 | 1 Year        |
| <input checked="" type="checkbox"/> | 10 ohm Impedance                        | HTEC         | Options-10oh m | /          | Dec 21, 2020 | 1 Year        |
| <input checked="" type="checkbox"/> | Combination Wave Generator              | HTEC         | HTSG 70        | 204304     | Dec 21, 2020 | 1 Year        |
| <input checked="" type="checkbox"/> | Coupling Network                        | HTEC         | HCN 8          | 204901     | Dec 21, 2020 | 1 Year        |
| <input checked="" type="checkbox"/> | Decoupling Network                      | HTEC         | HDEC 8         | 204902     | Dec 21, 2020 | 1 Year        |
| <input checked="" type="checkbox"/> | Isolated Power Supply                   | HTEC         | SBK-30KVA      | /          | Dec 21, 2020 | 1 Year        |

### 3.10. For Injected Current Susceptibility Test


| Used                                | Equipment               | Manufacturer | Model No.   | Serial No.     | Last Cal.     | Cal. Interval |
|-------------------------------------|-------------------------|--------------|-------------|----------------|---------------|---------------|
| <input checked="" type="checkbox"/> | Simulator               | SCHLODER     | CDG-6000-75 | 126B1404/20 16 | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | CDN                     | SCHLODER     | CDN-M2+3    | A2210415/20 16 | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Attenuator              | SCHLODER     | 6dB 100W    | HA1615         | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | Current Injection Probe | SCHLODER     | CDN BCI-P1  | 19102314-010 1 | Dec.22, 2020  | 1 Year        |
| <input checked="" type="checkbox"/> | EM-clamp                | SCHLODER     | CDN EMCL-20 | 20102817-010 3 | Dec.22, 2020  | 1 Year        |

### 3.11. For Voltage Dips and Interruptions Test

| Used                                | Equipment       | Manufacturer | Model No. | Serial No. | Last Cal.     | Cal. Interval |
|-------------------------------------|-----------------|--------------|-----------|------------|---------------|---------------|
| <input checked="" type="checkbox"/> | Dips Tester     | HTEC         | HPFS161P  | 164901     | July 08, 2021 | 1 Year        |
| <input checked="" type="checkbox"/> | AC Power source | HTEC         | HV1P16T   | 164902     | July 08, 2021 | 1 Year        |

## 4. CONDUCTED EMISSIONS FROM THE AC MAINS POWER PORTS

### 4.1. Block Diagram of Test Setup



AMN: Artificial Mains Network

AE: Associated equipment

EUT: Equipment under test

### 4.2. Limits

EN 55032, Class B, Table A.10

| Frequency range<br>MHz | Coupling device<br>(see Table A.8) | Detector type /<br>bandwidth | Class B limits<br>dB( $\mu$ V) |
|------------------------|------------------------------------|------------------------------|--------------------------------|
| 0.15 to 0.5            | AMN                                | Quasi Peak / 9 kHz           | 66 to 56                       |
| 0.5 to 5               |                                    |                              | 56                             |
| 5 to 30                |                                    |                              | 60                             |
| 0.15 to 0.5            | AMN                                | Average / 9 kHz              | 56 to 46                       |
| 0.5 to 5               |                                    |                              | 46                             |
| 5 to 30                |                                    |                              | 50                             |

### 4.3. Test Procedure

The EUT was placed on a desk 0.8 m height from the metal ground plane and 0.4 m from the conducting wall of the shielding room and it was kept at least 0.8 m from any other grounded conducting surface. The size of the table will nominally be 1.5 m x1.0 m.

The rear of the arrangement shall be flush with the back of the supporting tabletop unless that would not be possible or typical of normal use.

All units of equipment forming the system under test (includes the EUT as well as connected peripherals and associated equipment or devices) shall be arranged such that a nominal 0.1 m separation is achieved between the neighboring units.

Connect EUT to the power mains through a artificial mains network (AMN). Where the mains cable supplied by the manufacturer is longer than 1 m, the excess should be folded at the centre into a bundle no longer than 0.4 m, so that its length is shortened to 1 m.

All the support units are connecting to the other AMN.

The AMN provides 50 ohm coupling impedance for the measuring instrument.

The CISPR states that the AMN with 50 ohm and 50 microhenry should be used.

Both sides of AC line were checked for maximum conducted interference.

The frequency range from 150 kHz to 30 MHz was sweep.

Set the test-receiver system to quasi peak detect function and average detect function, and to measure the conducted emissions values.

Test results were obtained from the following equation:


Measurement (dB $\mu$ V) = Correct Factor (dB) + Reading (dB $\mu$ V)

Over (dB) = Measurement (dB $\mu$ V) - Limit (dB $\mu$ V)

#### 4.4. Measuring Results

**Pass.**

Please refer to the following pages.



Site site #1

Phase: L1

Temperature: 24

Limit: (CE)EN 55032 CLASS B\_QP


Power: AC 230V/50Hz

Humidity: 50 %

Mode: ON

Note:

| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV | Limit<br>dBuV | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|--------------------------|---------------|------------|----------|---------|
| 1   |     | 0.1620       | 38.10                    | 10.10                   | 48.20                    | 65.36         | -17.16     | QP       |         |
| 2   |     | 0.1620       | 22.80                    | 10.10                   | 32.90                    | 55.36         | -22.46     | AVG      |         |
| 3   |     | 0.2140       | 33.20                    | 10.09                   | 43.29                    | 63.05         | -19.76     | QP       |         |
| 4   |     | 0.2140       | 18.20                    | 10.09                   | 28.29                    | 53.05         | -24.76     | AVG      |         |
| 5   |     | 0.4500       | 25.90                    | 10.07                   | 35.97                    | 56.88         | -20.91     | QP       |         |
| 6 * |     | 0.4500       | 20.30                    | 10.07                   | 30.37                    | 46.88         | -16.51     | AVG      |         |
| 7   |     | 7.7280       | 18.20                    | 10.42                   | 28.62                    | 60.00         | -31.38     | QP       |         |
| 8   |     | 7.7280       | 9.10                     | 10.42                   | 19.52                    | 50.00         | -30.48     | AVG      |         |
| 9   |     | 18.2440      | 16.20                    | 10.59                   | 26.79                    | 60.00         | -33.21     | QP       |         |
| 10  |     | 18.2440      | 7.90                     | 10.59                   | 18.49                    | 50.00         | -31.51     | AVG      |         |
| 11  |     | 27.1600      | 20.60                    | 10.76                   | 31.36                    | 60.00         | -28.64     | QP       |         |
| 12  |     | 27.1600      | 12.40                    | 10.76                   | 23.16                    | 50.00         | -26.84     | AVG      |         |



Site site #1

Phase: *N*

Temperature: 24

Limit: (CE)EN 55032 CLASS B\_QP


Power: AC 230V/50Hz

Humidity: 50 %

Mode: ON

Note:

| No. | Mk. | Freq.<br>MHz | Reading<br>Level | Correct<br>Factor | Measure-<br>ment | Limit | Over   | Detector | Comment |
|-----|-----|--------------|------------------|-------------------|------------------|-------|--------|----------|---------|
|     |     |              | dBuV             | dB                | dBuV             | dB    |        |          |         |
| 1   |     | 0.1540       | 37.50            | 10.08             | 47.58            | 65.78 | -18.20 | QP       |         |
| 2 * |     | 0.1540       | 31.60            | 10.08             | 41.68            | 55.78 | -14.10 | AVG      |         |
| 3   |     | 0.2020       | 31.60            | 10.08             | 41.68            | 63.53 | -21.85 | QP       |         |
| 4   |     | 0.2020       | 18.00            | 10.08             | 28.08            | 53.53 | -25.45 | AVG      |         |
| 5   |     | 0.4540       | 25.20            | 10.11             | 35.31            | 56.80 | -21.49 | QP       |         |
| 6   |     | 0.4540       | 19.20            | 10.11             | 29.31            | 46.80 | -17.49 | AVG      |         |
| 7   |     | 7.8700       | 18.60            | 10.45             | 29.05            | 60.00 | -30.95 | QP       |         |
| 8   |     | 7.8700       | 9.60             | 10.45             | 20.05            | 50.00 | -29.95 | AVG      |         |
| 9   |     | 18.9180      | 19.10            | 10.65             | 29.75            | 60.00 | -30.25 | QP       |         |
| 10  |     | 18.9180      | 10.20            | 10.65             | 20.85            | 50.00 | -29.15 | AVG      |         |
| 11  |     | 28.6860      | 19.00            | 10.41             | 29.41            | 60.00 | -30.59 | QP       |         |
| 12  |     | 28.6860      | 11.10            | 10.41             | 21.51            | 50.00 | -28.49 | AVG      |         |



Site site #1

Phase: *N*

Temperature: 24

Limit: (CE)EN 55032 CLASS B\_QP


Power: AC 120V/60Hz

Humidity: 50 %

Mode: ON

Note:

| No. | Mk. | Freq.<br>MHz | Reading<br>Level | Correct<br>Factor | Measure-<br>ment | Limit | Over   | Detector | Comment |
|-----|-----|--------------|------------------|-------------------|------------------|-------|--------|----------|---------|
|     |     |              | dBuV             | dB                | dBuV             | dB    |        |          |         |
| 1 * |     | 0.1540       | 40.80            | 10.08             | 50.88            | 65.78 | -14.90 | QP       |         |
| 2   |     | 0.1540       | 22.40            | 10.08             | 32.48            | 55.78 | -23.30 | AVG      |         |
| 3   |     | 0.2060       | 33.70            | 10.08             | 43.78            | 63.37 | -19.59 | QP       |         |
| 4   |     | 0.2060       | 17.00            | 10.08             | 27.08            | 53.37 | -26.29 | AVG      |         |
| 5   |     | 0.4340       | 29.10            | 10.10             | 39.20            | 57.18 | -17.98 | QP       |         |
| 6   |     | 0.4340       | 19.90            | 10.10             | 30.00            | 47.18 | -17.18 | AVG      |         |
| 7   |     | 7.9220       | 20.10            | 10.45             | 30.55            | 60.00 | -29.45 | QP       |         |
| 8   |     | 7.9220       | 7.20             | 10.45             | 17.65            | 50.00 | -32.35 | AVG      |         |
| 9   |     | 18.9140      | 22.10            | 10.65             | 32.75            | 60.00 | -27.25 | QP       |         |
| 10  |     | 18.9140      | 10.80            | 10.65             | 21.45            | 50.00 | -28.55 | AVG      |         |
| 11  |     | 24.2900      | 24.40            | 10.54             | 34.94            | 60.00 | -25.06 | QP       |         |
| 12  |     | 24.2900      | 12.70            | 10.54             | 23.24            | 50.00 | -26.76 | AVG      |         |



Site site #1

Phase: L1

Temperature: 24

Limit: (CE)EN 55032 CLASS B\_QP

Power: AC 120V/60Hz

Humidity: 50 %


Mode: ON

Note:

| No. | Mk. | Freq.<br>MHz | Reading<br>Level | Correct<br>Factor | Measure-<br>ment | Limit | Over   | Detector | Comment |
|-----|-----|--------------|------------------|-------------------|------------------|-------|--------|----------|---------|
|     |     |              | dBuV             | dB                | dBuV             | dBuV  | dB     |          |         |
| 1   |     | 0.1620       | 39.80            | 10.10             | 49.90            | 65.36 | -15.46 | QP       |         |
| 2   |     | 0.1620       | 20.50            | 10.10             | 30.60            | 55.36 | -24.76 | AVG      |         |
| 3   |     | 0.2020       | 34.20            | 10.09             | 44.29            | 63.53 | -19.24 | QP       |         |
| 4   |     | 0.2020       | 18.30            | 10.09             | 28.39            | 53.53 | -25.14 | AVG      |         |
| 5   |     | 0.4380       | 29.60            | 10.07             | 39.67            | 57.10 | -17.43 | QP       |         |
| 6 * |     | 0.4380       | 22.00            | 10.07             | 32.07            | 47.10 | -15.03 | AVG      |         |
| 7   |     | 7.9580       | 18.60            | 10.43             | 29.03            | 60.00 | -30.97 | QP       |         |
| 8   |     | 7.9580       | 7.30             | 10.43             | 17.73            | 50.00 | -32.27 | AVG      |         |
| 9   |     | 17.6940      | 18.60            | 10.58             | 29.18            | 60.00 | -30.82 | QP       |         |
| 10  |     | 17.6940      | 7.40             | 10.58             | 17.98            | 50.00 | -32.02 | AVG      |         |
| 11  |     | 24.3500      | 22.90            | 10.70             | 33.60            | 60.00 | -26.40 | QP       |         |
| 12  |     | 24.3500      | 10.40            | 10.70             | 21.10            | 50.00 | -28.90 | AVG      |         |

## 5. ASYMMETRIC MODE CONDUCTED EMISSIONS AT WIRED NETWORK PORTS

### 5.1. Block Diagram of Test Setup



AMN: Artificial mains network

AE: Associated equipment

EUT: Equipment under test

AAN: Asymmetric artificial network

### 5.2. Limits

EN 55032, Class B, Table A.12

| Frequency range (MHz) | Coupling device (see Table A.8) | Detector type / bandwidth | Class B voltage limits dB(µV) | Class B current limits dB(µA) |
|-----------------------|---------------------------------|---------------------------|-------------------------------|-------------------------------|
| 0.15 to 0.5           | AAN                             | Quasi Peak / 9 kHz        | 84 to 74                      | N/A                           |
| 0.5 to 30             |                                 |                           | 74                            |                               |
| 0.15 to 0.5           | AAN                             | Average / 9 kHz           | 74 to 64                      | N/A                           |
| 0.5 to 30             |                                 |                           | 64                            |                               |
| 0.15 to 0.5           | CVP and current probe           | Quasi Peak / 9 kHz        | 84 to 74                      | 40 to 30                      |
| 0.5 to 30             |                                 |                           | 74                            | 30                            |
| 0.15 to 0.5           | CVP and current probe           | Average / 9 kHz           | 74 to 64                      | 30 to 20                      |
| 0.5 to 30             |                                 |                           | 64                            | 20                            |
| 0.15 to 0.5           | Current Probe                   | Quasi Peak / 9 kHz        | 40 to 30                      | N/A                           |
| 0.5 to 30             |                                 |                           | 30                            |                               |
| 0.15 to 0.5           | Current Probe                   | Average / 9 kHz           | 30 to 20                      |                               |
| 0.5 to 30             |                                 |                           | 20                            |                               |

### 5.3. Test Procedure

The EUT is put on the plane 0.8m high above the ground by insulating support and connected to the AC mains through artificial mains network(AMN) or connected to the wired network port through an asymmetric artificial network(ANN). AMN provided a 50ohm coupling impedance for the tested equipment AC mains port, ANN provided a common mode (asymmetric mode) impedance of 150 Ω to the wired network port under test. Both sides of AC line and the wired network line are investigated to

find out the maximum conducted emission according to the EN 55032 regulations during conducted emission measurement.

The bandwidth of the receiver is set at 9 kHz in 150 kHz~30 MHz. The frequency range from 150 kHz to 30 MHz is investigated.

Test results were obtained from the following equation:

Measurement (dB $\mu$ V) = Correct Factor (dB) + Reading (dB $\mu$ V)


Over (dB) = Measurement (dB $\mu$ V) - Limit (dB $\mu$ V)

#### 5.4. Measuring Results

**Pass.**

Please refer to the following pages.





Site site #1

Phase:

Temperature: 24

Limit: (CE)EN 55032 Class B TELECOM\_QP


Power: AC 230V/50Hz

Humidity: 50 %

Mode: ON

Note:

| No. | Mk. | Freq.  | Reading | Correct | Measure- | Limit | Over   | Detector | Comment |
|-----|-----|--------|---------|---------|----------|-------|--------|----------|---------|
|     |     |        | Level   | Factor  | ment     |       |        |          |         |
|     |     | MHz    | dBuV    | dB      | dBuV     | dBuV  | dB     |          |         |
| 1   |     | 0.4580 | 35.90   | 19.84   | 55.74    | 74.73 | -18.99 | QP       |         |
| 2   |     | 0.4580 | 30.30   | 19.84   | 50.14    | 64.73 | -14.59 | AVG      |         |
| 3   |     | 2.1140 | 39.80   | 19.67   | 59.47    | 74.00 | -14.53 | QP       |         |
| 4   |     | 2.1140 | 30.10   | 19.67   | 49.77    | 64.00 | -14.23 | AVG      |         |
| 5   |     | 2.5980 | 45.20   | 19.71   | 64.91    | 74.00 | -9.09  | QP       |         |
| 6 * |     | 2.5980 | 36.90   | 19.71   | 56.61    | 64.00 | -7.39  | AVG      |         |
| 7   |     | 3.1620 | 37.40   | 19.75   | 57.15    | 74.00 | -16.85 | QP       |         |
| 8   |     | 3.1620 | 29.80   | 19.75   | 49.55    | 64.00 | -14.45 | AVG      |         |
| 9   |     | 4.5140 | 28.40   | 19.85   | 48.25    | 74.00 | -25.75 | QP       |         |
| 10  |     | 4.5140 | 21.90   | 19.85   | 41.75    | 64.00 | -22.25 | AVG      |         |
| 11  |     | 8.7460 | 24.50   | 19.90   | 44.40    | 74.00 | -29.60 | QP       |         |
| 12  |     | 8.7460 | 19.40   | 19.90   | 39.30    | 64.00 | -24.70 | AVG      |         |



Site site #1

Phase:

Temperature: 24

Limit: (CE)EN 55032 Class B TELECOM\_QP

Power: AC 120V/60Hz

Humidity: 50 %


Mode: ON

Note:

| No. | Mk. | Freq.   | Reading | Correct | Measure- | Limit | Over   | Detector | Comment |
|-----|-----|---------|---------|---------|----------|-------|--------|----------|---------|
|     |     |         | Level   | Factor  | ment     |       |        |          |         |
|     |     | MHz     | dBuV    | dB      | dBuV     | dBuV  | dB     |          |         |
| 1   |     | 0.4420  | 36.50   | 19.84   | 56.34    | 75.02 | -18.68 | QP       |         |
| 2   |     | 0.4420  | 31.70   | 19.84   | 51.54    | 65.02 | -13.48 | AVG      |         |
| 3   |     | 2.0260  | 38.40   | 19.66   | 58.06    | 74.00 | -15.94 | QP       |         |
| 4   |     | 2.0260  | 28.80   | 19.66   | 48.46    | 64.00 | -15.54 | AVG      |         |
| 5   |     | 2.5780  | 45.50   | 19.70   | 65.20    | 74.00 | -8.80  | QP       |         |
| 6 * |     | 2.5780  | 36.90   | 19.70   | 56.60    | 64.00 | -7.40  | AVG      |         |
| 7   |     | 3.1500  | 37.60   | 19.75   | 57.35    | 74.00 | -16.65 | QP       |         |
| 8   |     | 3.1500  | 30.20   | 19.75   | 49.95    | 64.00 | -14.05 | AVG      |         |
| 9   |     | 4.3460  | 29.70   | 19.84   | 49.54    | 74.00 | -24.46 | QP       |         |
| 10  |     | 4.3460  | 23.10   | 19.84   | 42.94    | 64.00 | -21.06 | AVG      |         |
| 11  |     | 16.4740 | 21.40   | 19.91   | 41.31    | 74.00 | -32.69 | QP       |         |
| 12  |     | 16.4740 | 17.30   | 19.91   | 37.21    | 64.00 | -26.79 | AVG      |         |

## 6. RADIATED EMISSION MEASUREMENT (UP TO 1GHz)

### 6.1. Block Diagram of Test Setup



### 6.2. Radiated Limit

EN 55032, Class B, Table A.4

| Frequency range<br>MHz | Measurement |              |                           | Class B limits<br>dB( $\mu$ V/m) |
|------------------------|-------------|--------------|---------------------------|----------------------------------|
|                        | Facility    | Distance (m) | Detector type / bandwidth |                                  |
| 30 to 230              | OATS/SAC    | 10           | Quasi Peak / 120 kHz      | 30                               |
| 230 to 1 000           |             |              |                           | 37                               |
| 30 to 230              | OATS/SAC    | 3            | Quasi Peak / 120 kHz      | 40                               |
| 230 to 1 000           |             |              |                           | 47                               |

### 6.3. Test Procedure

The EUT was placed on a non-conductive table whose total height equaled 80cm. All units of equipment forming the system under test (includes the EUT as well as connected peripherals and associated equipment or devices) shall be arranged such that a nominal 0.1 m separation is achieved between the neighboring units. Where the mains cable supplied by the manufacturer is longer than 1 m, the excess should be folded at the centre into a bundle no longer than 0.4 m, so that its length is shortened to 1 m.

The EUT was set 3 meters (or 10 meters) away from the receiving antenna that was mounted on a non-conductive mast. The antenna can move up and down between 1 to 4 meters to find out the maximum emission level.

The turntable can rotate 360 degree to determine the position of the maximum emission level.

The initial testing identified the frequency that has the highest disturbance relative to the limit while operating the EUT in typical modes of operation and cable positions in a test setup representative of typical system configuration.

The identification of the frequency of highest emission with respect to the limit was found by investigating emissions at a number of significant frequencies. The probable frequency of maximum emission had been found and that the associated cable and EUT configuration and mode of operation had been identified.

The bandwidth of the Receiver is set at 120 kHz.

Test results were obtained from the following equation:


Measurement (dB $\mu$ V) = Correct Factor (dB) + Reading (dB $\mu$ V)


Over (dB) = Measurement (dB $\mu$ V) - Limit (dB $\mu$ V)


#### 6.4. Measuring Results

**Pass.**

Please refer to the following pages.







Site Radiated Emission 3m #1

Polarization: **Vertical**

Temperature: 24

Limit: (RE)EN 55032 class B\_3M


Power: AC 120V/60Hz

Humidity: 55 %

Mode:ON

Note:

| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Antenna<br>Height<br>cm | Table<br>Degree<br>degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|-------------------------|---------------------------|---------|
| 1   |     | 52.5752      | 53.52                    | -21.02                  | 32.50                      | 40.00           | -7.50      | QP                      |                           |         |
| 2   | !   | 77.0503      | 64.20                    | -27.40                  | 36.80                      | 40.00           | -3.20      | QP                      |                           |         |
| 3   | *   | 85.8984      | 64.37                    | -26.47                  | 37.90                      | 40.00           | -2.10      | QP                      |                           |         |
| 4   |     | 162.6105     | 57.28                    | -26.98                  | 30.30                      | 40.00           | -9.70      | QP                      |                           |         |
| 5   |     | 350.4766     | 54.07                    | -19.57                  | 34.50                      | 47.00           | -12.50     | QP                      |                           |         |
| 6   |     | 776.8777     | 45.86                    | -9.66                   | 36.20                      | 47.00           | -10.80     | QP                      |                           |         |



Site Radiated Emission 3m #1

Limit: (RE)EN 55032 class B\_3M

Polarization: **Horizontal**

Temperature: 24

Power: AC 120V/60Hz

Humidity: 55 %


Mode:ON

Note:

| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Over   | Antenna  | Table |        |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|-------|--------|---------|
|     |     |          | Level   | Factor  | ment     |        |        |          |       | Degree |         |
|     |     |          | MHz     | dBuV    | dB       | dBuV/m | dB     | Detector | cm    | degree | Comment |
| 1   |     | 85.8983  | 58.97   | -26.47  | 32.50    | 40.00  | -7.50  | QP       |       |        |         |
| 2   |     | 162.6105 | 59.38   | -26.98  | 32.40    | 40.00  | -7.60  | QP       |       |        |         |
| 3   |     | 277.0935 | 57.43   | -20.63  | 36.80    | 47.00  | -10.20 | QP       |       |        |         |
| 4   |     | 355.4273 | 60.50   | -19.50  | 41.00    | 47.00  | -6.00  | QP       |       |        |         |
| 5   |     | 451.1349 | 58.63   | -18.33  | 40.30    | 47.00  | -6.70  | QP       |       |        |         |
| 6   | *   | 776.8778 | 51.56   | -9.66   | 41.90    | 47.00  | -5.10  | QP       |       |        |         |

## 7. RADIATED EMISSION MEASUREMENT (ABOVE 1GHz)

### 7.1. Block Diagram of Test Setup



### 7.2. Radiated Limit

EN 55032, Class B, Table A.5

| Frequency range<br>(MHz) | Measurement |              |                          | Class B limits<br>dB( $\mu$ V/m) |
|--------------------------|-------------|--------------|--------------------------|----------------------------------|
|                          | Facility    | Distance (m) | Detector type/ bandwidth |                                  |
| 1000 to 3000             | FSOATS      | 3            | Average / 1 MHz          | 50                               |
| 3000 to 6000             |             |              |                          | 54                               |
| 1000 to 3000             |             |              | Peak / 1 MHz             | 70                               |
| 3000 to 6000             |             |              |                          | 74                               |

Note: The highest internal source of an EUT is defined as the highest frequency generated or used within the EUT or on which the EUT operates or tunes. If the highest frequency of the internal sources of the EUT is less than 108 MHz, the measurement shall only be made up to 1 GHz. If the highest frequency of the internal sources of the EUT is between 108 MHz and 500 MHz the measurement shall only be made up to 2 GHz. If the highest frequency of the internal sources of the EUT is between 500 MHz and 1 GHz, the measurement shall only be made up to 5 GHz. If the highest frequency of the internal sources of the EUT is above 1 GHz, the measurement shall be made up to 5 times the highest frequency or 6 GHz, whichever is less.

### 7.3. Test Procedure

The EUT was placed on a non-conductive table whose total height equaled 80cm. All units of equipment forming the system under test (includes the EUT as well as connected peripherals and associated equipment or devices) shall be arranged such that a nominal 0.1 m separation is achieved between the neighboring units. Where the mains cable supplied by the manufacturer is longer than 1 m, the excess should be folded at the centre into a bundle no longer than 0.4 m, so that its length is shortened to 1 m.

The EUT was set 3 meters away from the receiving antenna that was mounted on a non-conductive mast. The antenna can move up and down between 1 to 4 meters to find out the maximum emission level.

The turntable can rotate 360 degree to determine the position of the maximum emission level.

The initial testing identified the frequency that has the highest disturbance relative to the limit while operating the EUT in typical modes of operation and cable positions in a test setup representative of typical system configuration.

The identification of the frequency of highest emission with respect to the limit was found by investigating emissions at a number of significant frequencies. The probable frequency of maximum emission had been found and that the associated cable and EUT configuration and mode of operation had been identified.

The frequency range above 1GHz the measuring instrument use RBW=1 MHz and VBW=3 MHz.

Test results were obtained from the following equation:

Measurement (dB $\mu$ V) = Correct Factor (dB) + Reading (dB $\mu$ V)

Over (dB) = Measurement (dB $\mu$ V) - Limit (dB $\mu$ V)

### 7.4. Measuring Results

**Pass.**

Please refer to the following pages.

■ Radiated Emission Above 1GHz

|              |            |               |              |
|--------------|------------|---------------|--------------|
| Test mode:   | ON         | Humidity:     | 55%          |
| Temperature: | 24°C       | Test Voltage: | AC 230V/50Hz |
| Test Date:   | 2021-11-29 |               |              |


| Freq.<br>(MHz) | Ant.Pol.<br>H/V | Emission<br>Level(dBuV/m) |       | Limit 3m(dBuV/m) |       | Over(dB) |        |
|----------------|-----------------|---------------------------|-------|------------------|-------|----------|--------|
|                |                 | PK                        | AV    | PK               | AV    | PK       | AV     |
| 4049.020       | V               | 44.10                     | 36.20 | 74.00            | 54.00 | -29.90   | -17.80 |
| 4264.706       | V               | 45.10                     | 35.90 | 74.00            | 54.00 | -28.90   | -18.10 |
| 4975.490       | V               | 47.80                     | 39.60 | 74.00            | 54.00 | -26.20   | -14.40 |
| 5137.255       | V               | 47.40                     | 38.70 | 74.00            | 54.00 | -26.60   | -15.30 |
| 5583.333       | V               | 48.30                     | 39.60 | 74.00            | 54.00 | -25.70   | -14.40 |
| 5833.333       | V               | 47.60                     | 38.70 | 74.00            | 54.00 | -26.40   | -15.30 |
| 3426.470       | H               | 44.30                     | 35.20 | 70.00            | 50.00 | -29.70   | -18.80 |
| 4044.118       | H               | 46.70                     | 37.80 | 70.00            | 50.00 | -27.30   | -16.20 |
| 4818.627       | H               | 47.40                     | 38.60 | 70.00            | 50.00 | -26.60   | -15.40 |
| 5303.922       | H               | 49.80                     | 40.10 | 70.00            | 50.00 | -24.20   | -13.90 |
| 5421.569       | H               | 50.40                     | 41.30 | 70.00            | 50.00 | -23.60   | -12.70 |
| 5622.549       | H               | 49.20                     | 40.10 | 74.00            | 54.00 | -24.80   | -13.90 |

|              |            |               |              |
|--------------|------------|---------------|--------------|
| Test mode:   | ON         | Humidity:     | 55%          |
| Temperature: | 24°C       | Test Voltage: | AC 120V/60Hz |
| Test Date:   | 2021-11-29 |               |              |

| Freq.<br>(MHz) | Ant.Pol.<br>H/V | Emission<br>Level(dBuV/m) |       | Limit 3m(dBuV/m) |       | Over(dB) |        |
|----------------|-----------------|---------------------------|-------|------------------|-------|----------|--------|
|                |                 | PK                        | AV    | PK               | AV    | PK       | AV     |
| 2313.725       | V               | 39.10                     | 35.10 | 70.00            | 50.00 | -30.90   | -14.90 |
| 2936.274       | V               | 39.90                     | 34.20 | 70.00            | 50.00 | -30.10   | -15.80 |
| 3598.039       | V               | 40.00                     | 33.50 | 74.00            | 54.00 | -34.00   | -20.50 |
| 4049.020       | V               | 41.60                     | 36.20 | 74.00            | 54.00 | -32.40   | -17.80 |
| 4774.510       | V               | 41.60                     | 34.30 | 74.00            | 54.00 | -32.40   | -19.70 |
| 5500.000       | V               | 46.70                     | 38.10 | 74.00            | 54.00 | -27.30   | -15.90 |
| 2759.804       | H               | 42.90                     | 37.60 | 70.00            | 50.00 | -27.10   | -12.40 |
| 3367.647       | H               | 43.00                     | 38.60 | 74.00            | 54.00 | -31.00   | -15.40 |
| 3857.843       | H               | 43.70                     | 37.60 | 74.00            | 54.00 | -30.30   | -16.40 |
| 4534.314       | H               | 44.50                     | 38.10 | 74.00            | 54.00 | -29.50   | -15.90 |
| 4897.059       | H               | 45.90                     | 39.10 | 74.00            | 54.00 | -28.10   | -14.90 |
| 5372.549       | H               | 46.90                     | 39.70 | 74.00            | 54.00 | -27.10   | -14.30 |

## 8. HARMONIC CURRENT EMISSION MEASUREMENT

### 8.1. Block Diagram of Test Setup



### 8.2. Standard Limits

EN IEC 61000-3-2, CLASS A

Harmonic current emissions evaluate the potential for the EUT to cause distortion on the AC power lines. It is applicable to electrical and electronic equipment having an input current  $\leq 16$  A per phase, and intended to be connected to public low-voltage distribution systems

Table 1 - Limits for Class A equipment

| Harmonic order<br>n | Maximum permissible harmonic<br>current<br>(A) |
|---------------------|--|
| Odd harmonics       |  |
| 3                   | 2.30   |
| 5                   | 1.14   |
| 7                   | 0.77   |
| 9                   | 0.40   |
| 11                  | 0.33   |
| 13                  | 0.21   |
| $15 \leq n \leq 39$ | $0.15 \frac{0.15}{n}$                          |
| Even harmonics      |  |
| 2                   | 1.08   |
| 4                   | 0.43   |
| 6                   | 0.30   |
| $8 \leq n \leq 40$  | $0.23 \frac{8}{n}$                             |

### 8.3. Test Procedure

The measurement of harmonic currents shall be performed as follows: i. For each harmonic order, measure the 1.5 s smoothed r.m.s. harmonic current in each DFT time window as defined in EN / IEC 61000-4-7:2009. ii. Calculate the arithmetic average of the measured values from the DFT time windows, over the entire observation period Short cyclic ( $T_{cycle} \leq 2.5$  min). Because of synchronisation to meet the requirements for repeatability in 5%.

### 8.4. Test Results

**Pass.**

Please refer to the following pages.



## Harmonics – Class-A per IEC 61000-3-2 (Run time)

EUT: DataHub(DataHub1000)

Tested by: LSL

Test category: Class-A (European limits)

Test Margin: 100

Test date: 2021/12/1

Start time: 10:36:19

End time: 10:39:00

Test duration (min): 2.5

Data file name: H-000222.cts\_data


Comment: ON

Customer: Customer

Test Result: Pass


Source qualification: Normal

### Current & voltage waveforms



### Harmonics and Class A limit line

### European Limits



Test result: Pass

Worst harmonics H23-3.8% of 150% limit, H23-5.5% of 100% limit

## Current Test Result Summary (Run time)

**EUT:** DataHub(DataHub1000)      **Tested by:** LSL  
**Test category:** Class-A (European limits)      **Test Margin:** 100  
**Test date:** 2021/12/1      **Start time:** 10:36:19      **End time:** 10:39:00  
**Test duration (min):** 2.5      **Data file name:** H-000222.cts\_data  
**Comment:** ON  
**Customer:** Customer

**Test Result:** Pass      **Source qualification:** Normal  
**THC(A):** 0.030      **I-THD(%):** 357.5      **POHC(A):** 0.013      **POHC Limit(A):** 0.251

### Highest parameter values during test:

|                              |                             |
|------------------------------|-----------------------------|
| <b>V_RMS (Volts):</b> 229.72 | <b>Frequency(Hz):</b> 50.00 |
| <b>I_Peak (Amps):</b> 0.335  | <b>I_RMS (Amps):</b> 0.034  |
| <b>I_Fund (Amps):</b> 0.008  | <b>Crest Factor:</b> 10.304 |
| <b>Power (Watts):</b> 1.9    | <b>Power Factor:</b> 0.263  |

| Harm# | Harms(avg) | 100%Limit | %of Limit | Harms(max) | 150%Limit | %of Limit | Status |
|-------|------------|-----------|-----------|------------|-----------|-----------|--------|
| 2     | 0.005      | 1.080     | N/A       | 0.006      | 1.620     | N/A       | Pass   |
| 3     | 0.008      | 2.300     | 0.3       | 0.009      | 3.450     | 0.3       | Pass   |
| 4     | 0.005      | 0.430     | N/A       | 0.005      | 0.645     | N/A       | Pass   |
| 5     | 0.008      | 1.140     | 0.7       | 0.008      | 1.710     | 0.5       | Pass   |
| 6     | 0.005      | 0.300     | N/A       | 0.005      | 0.450     | N/A       | Pass   |
| 7     | 0.008      | 0.770     | 1.0       | 0.008      | 1.155     | 0.7       | Pass   |
| 8     | 0.004      | 0.230     | N/A       | 0.005      | 0.345     | N/A       | Pass   |
| 9     | 0.007      | 0.400     | 1.8       | 0.008      | 0.600     | 1.3       | Pass   |
| 10    | 0.004      | 0.184     | N/A       | 0.005      | 0.276     | N/A       | Pass   |
| 11    | 0.007      | 0.330     | 2.2       | 0.008      | 0.495     | 1.6       | Pass   |
| 12    | 0.004      | 0.153     | N/A       | 0.005      | 0.230     | N/A       | Pass   |
| 13    | 0.007      | 0.210     | 3.3       | 0.007      | 0.315     | 2.3       | Pass   |
| 14    | 0.004      | 0.131     | N/A       | 0.005      | 0.197     | N/A       | Pass   |
| 15    | 0.007      | 0.150     | 4.4       | 0.007      | 0.225     | 3.1       | Pass   |
| 16    | 0.004      | 0.115     | N/A       | 0.004      | 0.173     | N/A       | Pass   |
| 17    | 0.006      | 0.132     | 4.8       | 0.007      | 0.198     | 3.4       | Pass   |
| 18    | 0.004      | 0.102     | N/A       | 0.004      | 0.153     | N/A       | Pass   |
| 19    | 0.006      | 0.118     | 5.1       | 0.006      | 0.178     | 3.6       | Pass   |
| 20    | 0.004      | 0.092     | N/A       | 0.004      | 0.138     | N/A       | Pass   |
| 21    | 0.006      | 0.107     | 5.3       | 0.006      | 0.161     | 3.7       | Pass   |
| 22    | 0.004      | 0.084     | N/A       | 0.004      | 0.125     | N/A       | Pass   |
| 23    | 0.005      | 0.098     | 5.5       | 0.006      | 0.147     | 3.8       | Pass   |
| 24    | 0.003      | 0.077     | N/A       | 0.004      | 0.115     | N/A       | Pass   |
| 25    | 0.005      | 0.090     | N/A       | 0.005      | 0.135     | N/A       | Pass   |
| 26    | 0.003      | 0.071     | N/A       | 0.003      | 0.107     | N/A       | Pass   |
| 27    | 0.005      | 0.083     | N/A       | 0.005      | 0.125     | N/A       | Pass   |
| 28    | 0.003      | 0.066     | N/A       | 0.003      | 0.099     | N/A       | Pass   |
| 29    | 0.004      | 0.078     | N/A       | 0.004      | 0.116     | N/A       | Pass   |
| 30    | 0.003      | 0.061     | N/A       | 0.003      | 0.092     | N/A       | Pass   |
| 31    | 0.004      | 0.073     | N/A       | 0.004      | 0.109     | N/A       | Pass   |
| 32    | 0.003      | 0.058     | N/A       | 0.003      | 0.086     | N/A       | Pass   |
| 33    | 0.003      | 0.068     | N/A       | 0.004      | 0.102     | N/A       | Pass   |
| 34    | 0.002      | 0.054     | N/A       | 0.003      | 0.081     | N/A       | Pass   |
| 35    | 0.003      | 0.064     | N/A       | 0.003      | 0.096     | N/A       | Pass   |
| 36    | 0.002      | 0.051     | N/A       | 0.002      | 0.077     | N/A       | Pass   |
| 37    | 0.003      | 0.061     | N/A       | 0.003      | 0.091     | N/A       | Pass   |
| 38    | 0.002      | 0.048     | N/A       | 0.002      | 0.073     | N/A       | Pass   |
| 39    | 0.002      | 0.058     | N/A       | 0.002      | 0.087     | N/A       | Pass   |
| 40    | 0.002      | 0.046     | N/A       | 0.002      | 0.069     | N/A       | Pass   |

## Voltage Source Verification Data (Run time)

**EUT: DataHub(DataHub1000)**  
**Test category: Class-A (European limits)**  
**Test date: 2021/12/1**      **Start time: 10:36:19**  
**Test duration (min): 2.5**      **Data file name: H-000222.cts\_data**  
**Comment: ON**  
**Customer: Customer**

**Test Result: Pass**      **Source qualification: Normal**


**Highest parameter values during test:**

|                               |                             |
|-------------------------------|-----------------------------|
| <b>Voltage (Vrms):</b> 229.72 | <b>Frequency(Hz):</b> 50.00 |
| <b>I_Peak (Amps):</b> 0.335   | <b>I_RMS (Amps):</b> 0.034  |
| <b>I_Fund (Amps):</b> 0.008   | <b>Crest Factor:</b> 10.304 |
| <b>Power (Watts):</b> 1.9     | <b>Power Factor:</b> 0.263  |

| Harm# | Harmonics V-rms | Limit V-rms | % of Limit | Status |
|-------|-----------------|-------------|------------|--------|
| 2     | 0.081           | 0.459       | 17.66      | OK     |
| 3     | 0.587           | 2.067       | 28.38      | OK     |
| 4     | 0.057           | 0.459       | 12.47      | OK     |
| 5     | 0.069           | 0.919       | 7.49       | OK     |
| 6     | 0.022           | 0.459       | 4.78       | OK     |
| 7     | 0.024           | 0.689       | 3.54       | OK     |
| 8     | 0.018           | 0.459       | 3.85       | OK     |
| 9     | 0.039           | 0.459       | 8.49       | OK     |
| 10    | 0.010           | 0.459       | 2.11       | OK     |
| 11    | 0.020           | 0.230       | 8.82       | OK     |
| 12    | 0.010           | 0.230       | 4.25       | OK     |
| 13    | 0.014           | 0.230       | 6.13       | OK     |
| 14    | 0.006           | 0.230       | 2.52       | OK     |
| 15    | 0.013           | 0.230       | 5.45       | OK     |
| 16    | 0.009           | 0.230       | 3.97       | OK     |
| 17    | 0.009           | 0.230       | 4.11       | OK     |
| 18    | 0.010           | 0.230       | 4.27       | OK     |
| 19    | 0.011           | 0.230       | 4.99       | OK     |
| 20    | 0.015           | 0.230       | 6.70       | OK     |
| 21    | 0.011           | 0.230       | 4.71       | OK     |
| 22    | 0.009           | 0.230       | 3.80       | OK     |
| 23    | 0.009           | 0.230       | 3.89       | OK     |
| 24    | 0.005           | 0.230       | 2.30       | OK     |
| 25    | 0.009           | 0.230       | 3.84       | OK     |
| 26    | 0.005           | 0.230       | 2.13       | OK     |
| 27    | 0.007           | 0.230       | 3.13       | OK     |
| 28    | 0.005           | 0.230       | 2.34       | OK     |
| 29    | 0.009           | 0.230       | 3.77       | OK     |
| 30    | 0.005           | 0.230       | 2.20       | OK     |
| 31    | 0.007           | 0.230       | 3.22       | OK     |
| 32    | 0.005           | 0.230       | 2.08       | OK     |
| 33    | 0.008           | 0.230       | 3.32       | OK     |
| 34    | 0.005           | 0.230       | 1.99       | OK     |
| 35    | 0.007           | 0.230       | 2.99       | OK     |
| 36    | 0.004           | 0.230       | 1.92       | OK     |
| 37    | 0.007           | 0.230       | 3.10       | OK     |
| 38    | 0.004           | 0.230       | 1.77       | OK     |
| 39    | 0.007           | 0.230       | 3.21       | OK     |
| 40    | 0.008           | 0.230       | 3.33       | OK     |

## 9. VOLTAGE FLUCTUATION AND FLICKER MEASUREMENT

### 9.1. Block Diagram of Test Setup



### 9.2. Standard Limits

#### EN 61000-3-3 Limits

The objective of voltage changes, voltage fluctuations and flicker in public low voltage supply systems during equipment with rated current  $\leq 16$  A per phase, ensures that home appliances and certain other electrical equipment do not adversely affect lighting equipment when connected to the same power system.

#### Voltage Fluctuation and Flicker Limits:

- the value of  $P_{st}$  shall not be greater than 1.0;
- the value of  $P_{lt}$  shall not be greater than 0.65;
- the value of  $d(t)$  during a voltage change shall not exceed 3.3 % for more than 500 ms;
- the relative steady-state voltage change,  $dc$ , shall not exceed 3.3 %;
- the maximum relative voltage change,  $d_{max}$ , shall not exceed 4.0 %;



### 9.3. Test Procedure

The total impedance of the test circuit, excluding the appliance under test, but including the internal impedance of the supply source, shall be equal to the reference impedance. The stability and tolerance of the reference impedance shall be adequate to ensure that the overall accuracy of 8% is achieved during the whole assessment procedure.

### 9.4. Test Results

**Pass.**

Please refer to the following pages.

**Flicker Test Summary per IEC61000-3-3 (Run time)****EUT: DataHub(DataHub1000)****Test category: dt,dmax,dc and Pst (European limits)****Test date: 2021/12/1****Start time: 10:39:53****Test duration (min): 10****Data file name: F-000223.cts\_data****Comment: ON****Customer: Customer****Tested by: LSL****Test Margin: 100****End time: 10:50:21****Test Result: Pass****Status: Test Completed****Pst<sub>i</sub> and limit line****European Limits****Plt and limit line****Parameter values recorded during the test:****Vrms at the end of test (Volt): 229.62****Highest dt (%):****T-max (mS): 0****Test limit (%):****Test limit (mS): 500.0 Pass****Highest dc (%): 0.00****Test limit (%): 3.30 Pass****Highest dmax (%): 0.00****Test limit (%): 4.00 Pass****Highest Pst (10 min. period): 0.206****Test limit: 1.000 Pass**

## 10. IMMUNITY GENERAL PERFORMANCE CRITERIA DESCRIPTION

General performance criteria are defined in EN 55035 clause 8.2, 8.3 and 8.4. These criteria shall be used during the testing of primary functions where no relevant annex is applicable.

When assessing the impact of a disturbance on a function, the assessment should take into consideration the function's performance prior to the application of the disturbance and only identify as failures those changes in performance that are a result of the disturbance.

EN 55035:

Performance criterion A

The equipment shall continue to operate as intended without operator intervention. No degradation of performance, loss of function or change of operating state is allowed below a performance level specified by the manufacturer when the equipment is used as intended. The performance level may be replaced by a permissible loss of performance. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the equipment if used as intended.

Performance criterion B

During the application of the disturbance, degradation of performance is allowed. However, no unintended change of actual operating state or stored data is allowed to persist after the test.

After the test, the equipment shall continue to operate as intended without operator intervention; no degradation of performance or loss of function is allowed, below a performance level specified by the manufacturer, when the equipment is used as intended. The performance level may be replaced by a permissible loss of performance.

If the minimum performance level (or the permissible performance loss), or recovery time, is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the equipment if used as intended.

Performance criterion C


Loss of function is allowed, provided the function is self-recoverable, or can be restored by the operation of the controls by the user in accordance with the manufacturer's instructions. A reboot or re-start operation is allowed. Information stored in non-volatile memory, or protected by a battery backup, shall not be lost.

## 11. ELECTROSTATIC DISCHARGE

### 11.1. Test Specification

|                       |  |
|-----------------------|--|
| Test standard         | : EN 55035   |
| Basic standard        | : IEC 61000-4-2  |
| Performance criterion | : B  |
| Test level            | : $\pm 8.0\text{kV}$ (Air discharge)<br>$\pm 4.0\text{kV}$ (Contact discharge) |

### 11.2. Block Diagram of Test Setup



### 11.3. Test Procedure

- a. In the case of air discharge testing, the climatic conditions shall be within the following ranges:
  - ambient temperature: 15°C to 35°C;
  - relative humidity : 30% to 60%;
  - atmospheric pressure : 86 kPa (860 mbar) to 106 kPa (1060 mbar)
- b. Test programs and software shall be chosen so as to exercise all normal modes of operation of the EUT. The use of special exercising software is encouraged, but permitted only where it can be shown that the EUT is being comprehensively exercised.
- c. In the case of contact discharges, the tip of the discharge electrode shall touch the EUT before the discharge switch is operated.
- d. In the case of painted surface covering a conducting substrate, the following procedure shall be adopted :
  - If the coating is not declared to be an insulating coating by the equipment manufacturer, then the pointed tip of the generator shall penetrate the coating so as to make contact with the conducting substrate.
  - Coating declared as insulating by the manufacturer shall only be submitted to the air discharge.
  - The contact discharge test shall not be applied to such surfaces.
- e. In the case of air discharges, the round discharge tip of the discharge electrode shall be approached as fast as possible (without causing mechanical damage) to touch the EUT. After each discharge, the ESD generator (discharge electrode) shall be removed from the EUT. The generator is then retriggered for a new single discharge. This procedure shall be repeated until the discharges are completed. In the case of an air discharge test, the discharge switch, which is used for contact discharge, shall be closed.

- f. The test voltage shall be increased from the minimum to the selected test severity level, in order to determine any threshold of failure. The final test level should not exceed the product specification value in order to avoid damage to the equipment.
- g. The test shall be performed with both air discharge and contact discharge. The test shall be performed with single discharges. On each pre-selected point at least 10 single discharges (in the most sensitive polarity) shall be applied. For the time interval between successive single discharges an initial value of 1 s is recommended. Longer intervals may be necessary to determine whether a system failure has occurred.
- h. Ensure that the applied charge on the EUT has been dis-charged before next ESD pulse.

#### 11.4. Test Results

**Pass.**

|                      |   |            |
|----------------------|---|------------|
| Temperature          | : | 22 °C      |
| Humidity             | : | 47 %       |
| Atmospheric Pressure | : | 101kpa     |
| Test Engineer        | : | LSL        |
| Test Date            | : | 2021-12-01 |

Air Discharge:

| Test Voltage | Location                | Actual criterion | Required performance criterion | Result (Pass/Fail) |
|--------------|-------------------------|------------------|--------------------------------|--------------------|
| ±2; 4; 8 kV  | Non-Conducted Enclosure | A                | B                              | Pass               |
| ±2; 4; 8 kV  | /                       | /                | B                              | /                  |
| ±2; 4; 8 kV  | /                       | /                | B                              | /                  |

Contact Discharge

| Test Voltage | Location             | Actual criterion | Required performance criterion | Result (Pass/Fail) |
|--------------|----------------------|------------------|--------------------------------|--------------------|
| ±2; 4kV      | Conducted Enclosure  | A                | B                              | Pass               |
| ±2; 4kV      | Screw                | A                | B                              | Pass               |
| ±2; 4kV      | All slots of the EUT | A                | B                              | Pass               |

Indirect Discharge


| Test Voltage | Location | Actual criterion | Required performance criterion | Result (Pass/Fail) |
|--------------|----------|------------------|--------------------------------|--------------------|
| ±2; 4 kV     | HCP      | A                | B                              | Pass               |
| ±2; 4kV      | VCP      | A                | B                              | Pass               |

## 12. CONTINUOUS RF ELECTROMAGNETIC FIELD DISTURBANCES

### 12.1. Test Specification

|                       |   |  |
|-----------------------|---|--|
| Test standard         | : | EN 55035   |
| Basic standard        | : | IEC 61000-4-3                                      |
| Performance criterion | : | A  |
| Frequency range &     | : | <input checked="" type="checkbox"/> 80M-1000MHz    |
| Test level            |   | <input checked="" type="checkbox"/> Spot frequency |
|                       |   | <input type="checkbox"/> Additional spot frequency |
| Modulation            | : | AM, 80%, 1kHz sine-wave                            |

### 12.2. Block Diagram of Test Setup



### 12.3. Test procedure

The procedure defined in this part requires the generation of electromagnetic fields within which the test sample is placed and its operation observed. To generate fields that are useful for simulation of actual (field) conditions may require significant antenna drive power and the resultant high field strength levels. To comply with local regulations and to prevent biological hazards to the testing personnel, it is recommended that these tests be carried out in a shielded enclosure or semi-anechoic chamber.

- a. The antenna which is enabling the complete frequency range of 80-1000 MHz is placed 3m (or 1m) away from the equipment. The required field strength is determined by placing the field strength meter(s) on top of or directly alongside the equipment under test and monitoring the field strength meter via a remote field strength indicator outside the enclosure while adjusting the continuous-wave to the antenna.
- b. The test is performed with the antenna facing the front and back sides of the EUT with. Both vertical and horizontal polarizations from antenna are tested.

## 12.4. Test results

**Pass.**

(The test was carried out at: EMTEK (SHENZHEN) CO., LTD)

Temperature : 21°C  
 Humidity : 48 %  
 Atmospheric Pressure : 101kpa  
 Test Engineer : CSL  
 Test Date : 2021-12-03

80M-1000MHz:

| Freq. Range (MHz) | Field | Modulation | Polarity | Position (°)    | Actual criterion | Required performance criterion | Result |
|-------------------|-------|------------|----------|-----------------|------------------|--------------------------------|--------|
| 80-1000           | 3V/m  | AM, 80%    | H / V    | 0, 90, 180, 270 | A                | A                              | Pass   |

Spot frequency:

| Freq (MHz)             | Field | Modulation | Polarity | Position (°)    | Actual criterion | Required performance criterion | Result |
|------------------------|-------|------------|----------|-----------------|------------------|--------------------------------|--------|
| 1800, 2600, 3500, 5000 | 3V/m  | AM, 80%    | H / V    | 0, 90, 180, 270 | A                | A                              | Pass   |

Additional spot frequency:

| Freq (MHz)                                 | Field | Modulation | Polarity | Position (°)    | Actual criterion | Required performance criterion | Result |
|--|-------|------------|----------|-----------------|------------------|--------------------------------|--------|
| 80, 120, 160, 230, 434, 460, 600, 863, 900 | 3V/m  | AM, 80%    | H / V    | 0, 90, 180, 270 | N/A              | A                              | N/A    |


## 13. ELECTRICAL FAST TRANSIENTS/BURST

### 13.1. Test Specification


|                       |   |   |
|-----------------------|---|---|
| Test standard         | : | EN 55035  |
| Basic standard        | : | IEC 61000-4-4   |
| Performance criterion | : | B   |
| Test level            | : | <input checked="" type="checkbox"/> 1kV, AC mains power ports<br><input type="checkbox"/> 0.5kV, DC network power ports<br><input checked="" type="checkbox"/> 0.5kV, Analogue/digital data ports |
| Repetition frequency  | : | <input checked="" type="checkbox"/> 5kHz, <input type="checkbox"/> 100kHz(Only xDSL ports)  |
| Tr/Th:                | : | 5/50ns  |
| Burst period          | : | 300ms   |
| Test time :           | : | 120s  |

### 13.2. Block Diagram of Test Setup

AC Lines:



Signal lines:



### 13.3. Test Procedure

The EUT is put on the table that is 0.8 meter high above the ground. This reference ground plane shall project beyond the EUT by at least 0.1m on all sides and the minimum distance between EUT and all other conductive structure, except the ground plane beneath the EUT, shall be more than 0.5m.

### 13.4. Test Results

**Pass.**

Temperature : 25 °C  
 Humidity : 49 %  
 Atmospheric Pressure : 101kpa  
 Test Engineer : LSL  
 Test Date : 2021-12-01


| Injection Line   | Voltage (kV) | Injected Method  | Actual criterion | Required performance criterion | Result (Pass/Fail) |
|--|--------------|--|------------------|--------------------------------|--------------------|
| <input checked="" type="checkbox"/> AC mains power ports                             | ± 1          | <input type="checkbox"/> CDN<br><input checked="" type="checkbox"/> Direct injection<br><input type="checkbox"/> Capacitive coupling clamp | A                | B                              | Pass               |
| <input type="checkbox"/> DC network power ports                                      | ± 0.5        | <input type="checkbox"/> CDN<br><input type="checkbox"/> Direct injection<br><input type="checkbox"/> Capacitive coupling clamp            | N/A              | B                              | N/A                |
| <input checked="" type="checkbox"/> Analogue/digital data ports (Wired network port) | ± 0.5        | <input type="checkbox"/> CDN<br><input type="checkbox"/> Direct injection<br><input checked="" type="checkbox"/> Capacitive coupling clamp | A                | B                              | Pass               |
| <input type="checkbox"/> Analogue/digital data ports (Broadcast receiver tuner port) | ± 0.5        | <input type="checkbox"/> CDN<br><input type="checkbox"/> Direct injection<br><input type="checkbox"/> Capacitive coupling clamp            | N/A              | B                              | N/A                |
| <input type="checkbox"/> Analogue/digital data ports (.....)                         | ± 0.5        | <input type="checkbox"/> CDN<br><input type="checkbox"/> Direct injection<br><input type="checkbox"/> Capacitive coupling clamp            | N/A              | B                              | N/A                |

## 14. SURGES

### 14.1. Test Specification

|                  |   |   |
|------------------|---|---|
| Test standard    | : | EN 55035  |
| Basic standard   | : | IEC 61000-4-5   |
| Test level       | : | <input checked="" type="checkbox"/> 1kV, Line to Line, AC mains power ports, Criterion B<br><input type="checkbox"/> 2kV, Line to Earth, AC mains power ports, Criterion B<br><input type="checkbox"/> 0.5kV, Line to Reference ground, DC network power ports, Criterion B<br><input type="checkbox"/> 1.0kV, 4.0kV, Lines to Ground, Unshielded symmetrical, where primary protection is intended, Criterion C<br><input checked="" type="checkbox"/> 1.0kV, Lines to Ground, Unshielded symmetrical, where primary protection is not intended Criterion C<br><input type="checkbox"/> 0.5kV, Shield to ground, Coaxial or shielded port, Criterion B |
| Number of surges | : | 5 (for each combination of parameters)  |
| Repetition rate  | : | 1 minute / time   |
| Polarity:        | : | Positive / Negative   |
| Phase angle:     | : | 90°, 270° (Only AC mains power ports)   |

### 14.2. Block Diagram of Test Setup



### 14.3. Test Procedure

This test simulates a lightning event by inducing transients onto the AC/DC power supply lines in common mode (Line to Ground) and differential mode (Line to Line). Each device was tested in a total of two surge configurations: Line to Ground (L-G): Combination Wave, Line to Protective Earth with 9uF and 10Ohm and Neutral to Protective Earth with 9uF and 10Ohm, common mode, generator earthed.

Line to Line (L-L): Combination Wave,

Line to Neutral with 18uF, differential mode, generator floated.

2 ohm : the source impedance of the low-voltage power supply network.

12 ohm : the source impedance of the low-voltage power supply network and ground.

- a. If not otherwise specified the surges have to be applied synchronized to the voltage phase at the zero-crossing and the peak value of the a.c. voltage wave (positive and negative).
- b. The surges have to be applied line to line and line to earth. When testing line to earth, the test voltage has to be applied successively between each of the lines and earth, if there is no other specification.
- c. The test procedure shall also consider the non-linear current-voltage characteristics of the equipment under test. Therefore the test voltage has to be increased by steps up to the test level specified in the product standard or test plan. All lower levels including the selected test level shall be satisfied.
- d. For testing the secondary protection, the output voltage of the generator shall be increased up to the worst-case voltage breakdown level (let-through level) of the primary protection.
- e. Testing shall be performed according to a Test Plan, which shall be included in the test report.
- f. To find all critical points of the duty cycle of the equipment, a sufficient number of positive and negative test pulses shall be applied.

## 14.4. Test results

**Pass.**

Temperature : 25 °C  
 Humidity : 49 %  
 Atmospheric Pressure : 101kpa  
 Test Engineer : LSL  
 Test Date : 2021-12-01

AC mains power ports:

| Coupling Line                                    | Voltage (kV) | Waveform (μs) | Polarity   | Actual criterion | Required performance criterion | Result (Pass/Fail) |
|--|--------------|---------------|------------|------------------|--------------------------------|--------------------|
| <input checked="" type="checkbox"/> Line to line | 1            | 1.2/50 (8/20) | Pos./ Neg. | A                | B                              | Pass               |
| <input type="checkbox"/> Line to earth           | 2            | 1.2/50 (8/20) | Pos./ Neg. | N/A              | B                              | N/A                |

DC network power ports:

| Coupling Line            | Voltage (kV) | Waveform (μs) | Polarity   | Actual criterion | Required performance criterion | Result (Pass/Fail) |
|--------------------------|--------------|---------------|------------|------------------|--------------------------------|--------------------|
| Line to Reference ground | 0.5          | 1.2/50 (8/20) | Pos./ Neg. | N/A              | B                              | N/A                |

Analogue/digital data ports:


| Port type   | Coupling Line    | Voltage (kV) | Waveform (μs)  | Polarity   | Actual criterion | Required performance criterion | Result (Pass/Fail) |
|---|------------------|--------------|----------------|------------|------------------|--------------------------------|--------------------|
| <input checked="" type="checkbox"/> Unshielded symmetrical (Wired network port) | Lines to ground  | 0.5, 1       | 10/700 (5/320) | Pos./ Neg. | A                | C                              | Pass               |
| <input type="checkbox"/> Unshielded symmetrical (.....)                         | Lines to ground  | 0.5, 1       | 10/700 (5/320) | Pos./ Neg. | N/A              | C                              | N/A                |
| <input type="checkbox"/> Unshielded symmetrical                                 | Lines to ground  | 0.5, 1, 2, 4 | 10/700 (5/320) | Pos./ Neg. | N/A              | C                              | N/A                |
| <input type="checkbox"/> Coaxial or shielded (Broadcast receiver tuner port)    | Shield to ground | 0.5          | 1.2/50 (8/20)  | Pos./ Neg. | N/A              | B                              | N/A                |
| <input type="checkbox"/> Coaxial or shielded (.....)                            | Shield to ground | 0.5          | 1.2/50 (8/20)  | Pos./ Neg. | N/A              | B                              | N/A                |

## 15. CONTINUOUS INDUCED RF DISTURBANCES

### 15.1. Test Specification

|                       |   |                        |
|-----------------------|---|------------------------|
| Test standard         | : | EN 55035               |
| Basic standard        | : | IEC 61000-4-6          |
| Performance criterion | : | A                      |
| Frequency range &     | : | 0.15M to 10MHz, 3V     |
| Test level            |   | 10M to 30MHz, 3V to 1V |
|                       |   | 30M to 80MHz, 1V       |
| Modulation            | : | AM 80%, 1kHz sine-wave |
| Frequency Step        | : | 1% of fundamental      |

### 15.2. Block Diagram of Test Setup



### 15.3. Test Procedure

- The EUT shall be operated within its intended climatic conditions. The temperature and relative humidity should be recorded.
- The EUT is placed on a 0.1m high test table, and a well grounded cable is connected to metallic plane above the test table.
- All cables/wires must be laid out on test plate (3cm in thickness),and the EUT is set up on test plate (10 cm in thickness) as shown in test setup photo, and the cables/wires must not be in mid-air, they should be touching the surface of test plate. Ensure that the EUT is properly connected to the accessory equipment.
- The test shall be performed with the test generator connected to each of the coupling and decoupling devices in turn while the other non-excited RF-input ports of the coupling devices are terminated by a 50 ohm load resistor.
- The frequency range is swept from 150 kHz to 80 MHz, using the signal levels established during the setting process, and with the disturbance signal 80% amplitude modulated with a 1 kHz sine wave, pausing to adjust the RF-signal level or to switch coupling devices as necessary. The rate of sweep shall no exceed  $1.5 \times 10^{-3}$  decades/s. Where the frequency is swept incrementally, the step size shall no exceed 1% of the start and thereafter 1% of the preceding frequency value.
- The dwell time at each frequency shall not be less than the time necessary for the EUT to be exercised, and able to respond. Sensitive frequencies e.g. clock frequency (ies) and harmonics or frequencies of dominant interest shall be analyzed separately.
- Attempts should be made to fully exercise the EUT during testing, and to fully interrogate all exercise modes selected for susceptibility
- Testing shall be performed according to a Test Plan, which shall be included in the test report.

## 15.4. Test results

**Pass.**

Temperature : 25 °C  
 Humidity : 49 %  
 Atmospheric Pressure : 101kpa  
 Test Engineer : LSL  
 Test Date : 2021-12-01


| Range (MHz) | Levers (V) | Injection port   | Coupling type   | Actual criterion | Required performance criterion | Result (Pass/Fail) |
|-------------|------------|--|---|------------------|--------------------------------|--------------------|
| 0.15-10     | 3          | <input checked="" type="checkbox"/> AC mains power ports                             | <input checked="" type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection | A                | A                              | Pass               |
| 10-30       | 3-1        |  | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            |                  |                                |                    |
| 30-80       | 1          |  | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            |                  |                                |                    |
| 0.15-10     | 3          | <input type="checkbox"/> DC network power ports                                      | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            | N/A              | A                              | N/A                |
| 10-30       | 3-1        |  | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            |                  |                                |                    |
| 30-80       | 1          |  | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            |                  |                                |                    |
| 0.15-10     | 3          | <input checked="" type="checkbox"/> Analogue/digital data ports (Wired network port) | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input checked="" type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection | A                | A                              | Pass               |
| 10-30       | 3-1        |  | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            |                  |                                |                    |
| 30-80       | 1          |  | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            |                  |                                |                    |
| 0.15-10     | 3          | <input type="checkbox"/> Analogue/digital data ports (Broadcast receiver tuner port) | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            | N/A              | A                              | N/A                |
| 10-30       | 3-1        |  | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            |                  |                                |                    |
| 30-80       | 1          |  | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            |                  |                                |                    |
| 0.15-10     | 3          | <input type="checkbox"/> Analogue/digital data ports (.....)                         | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            | N/A              | A                              | N/A                |
| 10-30       | 3-1        |  | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            |                  |                                |                    |
| 30-80       | 1          |  | <input type="checkbox"/> CDN<br><input type="checkbox"/> EM Clamp<br><input type="checkbox"/> Current Clamp<br><input type="checkbox"/> Direct injection            |                  |                                |                    |

## 16. POWER FREQUENCY MAGNETIC FIELD

### 16.1. Test Specification

|                       |   |               |
|-----------------------|---|---------------|
| Test Standard         | : | EN 55035      |
| Basic Standard        | : | IEC 61000-4-8 |
| Performance criterion | : | A             |
| Test level            | : | 1A/m          |

### 16.2. Block Diagram of Test Setup



GRP: Ground reference plane

EUT: Equipment under test

### 16.3. Test Procedure

The EUT is placed in the middle of a induction coil (1\*1m), under which is a 1\*1\*0.1m (high) table above the GRP, this small table is also placed on a larger table, 0.8 m above the ground. Both horizontal and vertical polarization of the induction coil is set on test, so that each side of the EUT is affected by the magnetic field. Also can reach the same aim by change the position of the EUT.

### 16.4. Test Results


N/A.

## 17. VOLTAGE DIPS AND INTERRUPTIONS

### 17.1. Test Specification

|                |   |   |
|----------------|---|---|
| Test standard  | : | EN 55035  |
| Basic standard | : | IEC 61000-4-11  |
| Test level     | : | 0%, 0.5 period, Criterion B<br><input checked="" type="checkbox"/> 70%, 25 periods for 50Hz, Criterion C<br><input checked="" type="checkbox"/> 70%, 30 periods for 60Hz, Criterion C<br><input checked="" type="checkbox"/> 0%, 250 periods for 50Hz, Criterion C<br><input checked="" type="checkbox"/> 0%, 300 periods for 60Hz, Criterion C |

### 17.2. Block Diagram of Test Setup



### 17.3. Test Procedure

- a. Where the equipment has a rated voltage the following shall apply - If the voltage range does not exceed 20% of the lower voltage specified for the rated voltage range, a single voltage within that range may be specified as a basis for test level specification.  
- In all other cases, the test procedure shall be applied for both the lowest and highest voltages declared in the voltage range.
- b. Test Conditions
  - Select operated voltage and frequency of EUT - Test of interval : 10 sec.
  - Level and duration : Sequence of 3 dips/interrupts.
  - Voltage rise (and fall) time : 1.5 μs.

## 17.4. Test results



**Pass.**


Temperature : 25 °C  
 Humidity : 49 %  
 Atmospheric Pressure : 101kpa  
 Test Engineer : LSL  
 Test Date : 2021-12-01


| Item  | Test Level (% UT) | Phase angle (°) | Input Voltage (V) | Freq (Hz) | Duration (periods) | Actual criterion | Required performance criterion | Result (Pass /Fail) |
|---|-------------------|-----------------|-------------------|-----------|--------------------|------------------|--------------------------------|---------------------|
| <input checked="" type="checkbox"/> Voltage dips          | 0%                | 0°, 180°        | AC 230V           | 50        | 0.5                | A                | B                              | Pass                |
| <input checked="" type="checkbox"/> Voltage dips          | 0%                | 0°, 180°        | AC 230V           | 60        | 0.5                | A                | B                              | Pass                |
| <input checked="" type="checkbox"/> Voltage dips          | 70%               | 0°, 180°        | AC 230V           | 50        | 25                 | A                | C                              | Pass                |
| <input checked="" type="checkbox"/> Voltage dips          | 70%               | 0°, 180°        | AC 230V           | 60        | 30                 | A                | C                              | Pass                |
| <input checked="" type="checkbox"/> Voltage interruptions | 0%                | 0°, 180°        | AC 230V           | 50        | 250                | B                | C                              | Pass                |
| <input checked="" type="checkbox"/> Voltage interruptions | 0%                | 0°, 180°        | AC 230V           | 60        | 300                | B                | C                              | Pass                |

## 18. PHOTOGRAPHS



### 18.1. Photo of Conducted Emission Measurement




**18.2.Photo of Conducted Emissions at Telecommunications/network port Measurement**

**18.3.Photo of Radiation Emission Measurement (Up to 1GHz)**


18.4.Photo of Radiation Emission Measurement ( Above 1GHz)





### 18.5.Photo of Harmonic and Flicker Measurement



### 18.6.Photo of Electrostatic Discharge Test



**18.7.Photo of RF Field Strength Susceptibility Test****18.8.Photo of Electrical Fast Transient /Burst Test**

### 18.9.Photo of Surge Test





### 18.10.Photo of Injected Currents Susceptibility Test



### 18.11.Photo of Voltage Dips and Interruption Immunity Test





**APPENDIX  
(PHOTOS OF EUT)**
















\*\*\* End of Report \*\*\*

## 声 明 Statement

1 . 本报告无授权批准人签字及 “检验报告专用章” 无效 ;

This report will be void without authorized signature or special seal for testing report.

2 . 未经许可本报告不得部分复制 ;

This report shall not be copied partly without authorization.

3 . 本报告的检测结果仅对送测样品有效 , 委托方对样品的代表性和资料的真实性负责 ;

The test results or observations are applicable only to tested sample. Client shall be responsible for representativeness of the sample and authenticity of the material.

4 . 本检测报告中检测项目标注有特殊符号则该项目不在资质认定范围内 , 仅作为客户委托、科研、教学或内部质量控制等目的使用 ;

The observations or tests with special mark fall outside the scope of accreditation, and are only used for purpose of commission, research, training, internal quality control etc.

5 . 本检测报告以实测值进行符合性判定 , 未考虑不确定度所带来的风险 , 本实验室不承担相关责任 , 特别约定、标准或规范中有明确规定的除外 ;

The test results or observations are provided in accordance with measured value, without taking risks caused by uncertainty into account. Without explicit stipulation in special agreements, standards or regulations, EMTEK shall not assume any responsibility.

6 . 对本检测报告若有异议 , 请于收到报告之日起 20 日内提出 ;

Objections shall be raised within 20 days from the date receiving the report.