



中国认可 检验 INSPECTION CNAS IB0078 海运 By Sea

货物运输条件鉴别报告书

Identification and Classification Report for Transport of Goods

危险物品 (Dangerous Goods)



报告编号: Issued No:	SEKSZ202302205979LYL550001
生效日期: Effective Date:	2023.02.21
委托单位:	浙江艾罗网络能源技术股份有限公司
Applicant:	SolaX Power Network Technology (Zhe jiang) Co., Ltd.
物品名称:	锂离子可充电电池模组HV10230 102.4V 30Ah 3072Wh

Name of Goods:

Lithium ion Rechargeable Battery Module HV10230 102.4V 30Ah 3072Wh

北京迪捷姆空运技术开发有限公司

Beijing DGM Air Transport Technology Development Co.,Ltd.



第1页共4页

报告书使用约定

Terms of the Using of the Report

本公司依据委托人(托运人或其代理人)提供的物品及其运输信息,确定货物的运输条件并出具此报告 书。

The report is issued by DGM China according to the information of the goods and the information of its shipping provided by the applicant (shipper or his agent).

- 依据鉴别的需要,本公司要求委托人提供真实、完整的货物样品及资料。
 According to the demand of identification and classification, DGM China requires the applicant to provide true and exact sample and data of the cargo.
- 委托人保证申报的物品和/或提供的样品与交运的货物是同一种物质。
 The applicant guarantees that the declared goods and/or the sample who provides should be identical with the contents of cargo that is to be transported.
- 4. 本公司仅对样品的鉴别结果负责。

DGM China is only responsible for the identification and classification of the sample provided by the applicant.

- 5. 本报告书经主检员、审核人和批准人签字并加盖本公司印章后生效。 This report will be effective only after it is signed by the inspector:, checker and approver, and stamped by DGM China.
- 6. 未经本公司书面批准,不得复制本报告书。 The duplicating of this report is prohibited without the written approval of DGM China.
- 7. 私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。 The report is invalid when anything of the following happens - illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.
- 8. 报告书仅在本年度内有效。

This report is only valid within the year.

地址: 北京首都机场货运北路天竺综合保税区 BGS 货运楼 249 室

邮编: 101300

传真: 010-69479621

- 电话: 010-69479673
- 网址: www.dgmchina.com.cn

E-mail: test@dgmchina.com.cn



to

项目编号 Item No.		SEKSZ202302205979	SZ202302205979 签发日期 Issued Date 2023.02.2		2023.02.21		
鉴别目的 Identification Purpose		是否属于运输危险物品 Dangerous Goods or not restricted		鉴别日期 Identification Date	2023.02.20-2023.02.21		
鉴别依据 Identification Criteria		IMDG CODE (Amdt 40-20)					
物品名称	中文名称 Name of Chinese	锂离子可充电电池模组HV10230 102.4V 30Ah 3072Wh					
Name of Goods Name of English		Lithium ion Rechargeable Battery Module HV10230 102.4V 30Ah 3072Wh					
生产厂家 Manufacturer 物品信息 Nature of Goods		浙江艾罗网络能源技术股份有网 SolaX Power Network Technol) Co., Ltd.			
		该物品为锂离子电池, 白色, 长方体, 尺寸: 482×472×148 mm。 型号/族号: HV10230 每包装件中电池或电芯数量: 1块 单独包装 (注: 单块电池的重量约为34.45kg。该电池的UN38.3报告由东莞市巴能检测技术有限公司出具, 报告编号: BL- DG2320228-304(G1)。该电池由塑料袋单独包装, 以防止短路。) The goods are lithium ion batteries, white, cuboid, Size:482×472×148 mm. Model/Group:HV10230 Number of batteries or cells per package: 1 pieces Cells or batteries only					
	of Goods	The goods are lithium ion batteries, whit Model/Group:HV10230 Number of batteries or cells per package	凌单独包装,以防 te,cuboid,Size:482>	止短路。)	BBCHINA		
	of Goods	The goods are lithium ion batteries, whit Model/Group:HV10230 Number of batteries or cells per package	凌单独包装,以防 te,cuboid,Size:482>	止短路。)	ag fin		
	of Goods	The goods are lithium ion batteries, whit Model/Group:HV10230 Number of batteries or cells per package Cells or batteries only	凌单独包装,以防 te,cuboid,Size:482>	止短路。)	ag fina		
	动结论 clusions	The goods are lithium ion batteries,whit Model/Group:HV10230 Number of batteries or cells per package Cells or batteries only 危险物品 (Dangerous Goods)	❷单独包装,以防 te,cuboid,Size:482> e:1 pieces	止短路。) 4472×148 mm.	AB CHINA		
	別结论	The goods are lithium ion batteries,whit Model/Group:HV10230 Number of batteries or cells per package Cells or batteries only 危险物品 (Dangerous Goods) UN 编号(UN No.):	愛単独包装,以防 te,cuboid,Size:482> e:1 pieces UN3480	止短路。) 4472×148 mm.	AG INA		
	別结论	The goods are lithium ion batteries,whit Model/Group:HV10230 Number of batteries or cells per package Cells or batteries only 危险物品 (Dangerous Goods) UN 编号(UN No.): 运输专用名称(PSN)	愛単独包装,以防 ec,cuboid,Size:482> e:1 pieces UN3480 Lithium ion	止短路。) 4472×148 mm.	AG GINA		
Cond	別结论 clusions 备注 mment	The goods are lithium ion batteries, whit Model/Group:HV10230 Number of batteries or cells per package Cells or batteries only 危险物品 (Dangerous Goods) UN 编号(UN No.): 运输专用名称(PSN) 危险货物类别(Class or Div.)	逸单独包装,以防 re,cuboid,Size:482> e:1 pieces UN3480 Lithium ion 9	止短路。) 4472×148 mm. batteries ance standard. 批	MEA NOVER		

4000 B

	l编号 n No.	SEKSZ202302205979					
物品名称	中文名称 Name of Chinese	锂离子可充电电池模组HV10230 102.4V 30Ah 3072Wh					
Name of Goods	英文名称 Name of English						
		鉴别项目名称 Item	检验结果 Inspection Result				
	瓦特小时数为 ting of the bat	5 3072 Wh. tery is 3072 Wh.	>100Wh				
Each battery	过 UN38.3 孤 is of a type pi Part III,sub-se	roved to meet the Requirements of each test in the UN MANUAL OF TESTS AND	符合 Conform				
		里体系进行制造。 under a quality management programme.	符合 Conform				
亥锂电池不 The lithium	属于召回电流 batteries don'i	也,不属于废弃和回收电池。 belong to batteries returned to the manufacturer for safety reasons, are not waste thium batteries being shipped for recycling or disposal.	符合 Conform				
	1.2 米跌落 e is capable o	试验。 f withstanding a 1.2m drop test in any orientation.	不适用 Not applicable				
包装件需要	按照特殊规定	E188的要求进行适当标记。 opriately marked according to special provision 188.	不适用 Not applicable				
包装件内装 必须小心操 包装件破损 应急电话号 Each consig he package special proc if necessary	时应采取的特码。 nment is acco contains lithiu must be hand edures should ; and		不适用 Not applicable				
1		Contraction of Contra					
1	R		1				
	意事项 emarks	每一单电池必须做好防短路措施,并装入坚固外包装内。 Each single battery must be packed in such a way as to prevent short circuits under th and packed in strong outer packagings.	e normal conditions				



III IIII GI

第4页共4页

锂离子可充电电池模组 HV10230 102.4V 30Ah

3072Wh

SEKSZ202302205979







制

5

	TRI	POWE		
UK	Battery Type: LiFe	PO4 (LFP)	Nominal charge/discharge currer	nt 25A
UK	Nominal Voltage	102.4Vdc	Max.Charge/Discharge Current	30A
NT	Nominal Capacity	/ 30Ah	Operating Temperature -30+50	0°C9-10-+50°C
A	Nominal Energy	3072Wh		-20-+50°C
	Ingress Protection	n IP65	Build-in heating function O No heating function	
IN CON	DANGER	 Do not pla Do not ins Do not imp Do not attributery mc Avoid of di Follow the May only b Recharge b Contact yc 	rect sunlight, moisture or liquid. product manual to make wiring connectio e operated by qualified professionals. pattery at least every 3 months (incl. when i pur supplier within 24hours if anything scilu-	i on battery modules with, or modify the n.
SolaX TEL: +6	Power Network Te 6 571 5626 0011	E-mail: infogso	reilano) Co 1td	Made in China

锂电池 UN38.3 试验概要 Lithium Battery Test Summary

项目编号: SEKSZ202302205979

		单	位信息 Com	pany	Informa	tion		Shill
委托单位 Consignor	 浙江艾罗网络能源技术股份有限公司 SolaX Power Network Technology (Zhejiang) Co., Ltd. 浙江省桐庐县经济开发区石珠路 288 号 No.288, Shizhu Road, Tonglu Economic Development Zone, Tonglu City, Zhejiang Province 310000. P. R. CHINA 电话/Tel: 86-571-56260011 邮箱/Mail: cert.info@solaxpower.com 							
生产单位 Manufacturer	浙江艾罗网络能源技术股份有限公司 SolaX Power Network Technology (Zhejiang) Co., Ltd. 浙江省桐庐县经济开发区石珠路 288 号 No.288, Shizhu Road, Tonglu Economic Development Zone, Tonglu City, Zhejiang Province 310000. P. R. CHINA 电话/Tel: 86-571-56260011 邮箱/Mail: cert.info@solaxpower.com							
测试单位 Test Lab	广东省 1, No. 电话/T	莞市巴能检测技术有限公司 Dongguan BALUN Testing Technology Co., Ltd. 东省东莞市松山湖园区工业南路 6 号 1 栋 104、204、205 室 Room 104, 204, 205, Building No. 6, Industrial South Road, Songshan Lake District, Dongguan, Guangdong, China 话/Tel: +86-769-22212330 邮箱/Mail: qc@baluntek.com 址/Website: www.baluntek.com						
		Ę	且池信息 Bat	ttery I	nformat	ion		
名称 Name		Lithium i	可充电电池模组 ion Rechargeable tery Module		电池/电芯类别 Battery/Cell Classification		and the second	写子电池 n Battery
型号 Type			IV10230	商标		123		
额定电压 Normal Voltage			102.4V		额定容量 Rated Capacity		30Ah	
额定能量 Watt-hour rating			3072Wh		外观/Appearance		白色长方体 White Cuboid	
质量/Ma	SS	34.45kg		钅	锂含量/Li Content		不适用 N/A	
a start fill			测试信息 T	est Inf	ormatio	n		
测试报告编号 Test Report Number		BL-DG2320228-304(G1)		辺	测试报告签发日期 Date of Test Report		2023-02-20	
测试标剂 Edition of UN of Tests and C Used	Manual		式验和标准手册》 al of Tests and Cr				Subsection 3	8.3
T.1: 高度模拟 Altitude Simulation		通过 Pass	T.2: 温度试验 Thermal Test		通过 Pass	T.3: 振动 Vibration		通过 Pass
T.4: 冲击 Shock		通过 Pass	T.5: 外部短路 External Short Circuit		通过 Pass	T.6: 撞击/挤压 通过		通过 Pass
T.7: 过度充电 Overcharge		不适用 N/A	T.8: 强制放电 Forced Discharge		通过 Pass			
注: 该电池未到 此无需满足 T7			置,按设计要求只	能用在另	一个带过度	度充电保护	发置的电池 组	且或设备中,因
UN38.3.3	(f)	不适	t用 N/A		UN38.3.3	(g) 3/1		适用 N/A
签名 Signatory 职务 Title 检验员		签发日 Issued I		油使烟空运动	2023.02.20	有用章 レル		